

宁波华申羽路紧固件有限公司
NINGBO HUASHEN YULU SET SCREWS CO.,LTD

进取是企业的动力 坚持是企业的精神



宁波华申羽路紧固件有限公司
NINGBO HUASHEN YULU SET SCREWS CO.,LTD

地址：中国浙江省宁波市北仑霞浦镇

ADD: Beilun Ningbo Zhejiang Province China.

电话 (TEL): +86-0574-86022688 86900880 86900881 86900882

传真 (FAX): +86-0574-86021918 86900883

QQ: 564375190 邮编 (P.C.): 315807

邮箱 (E-mail): hs@hs-bolt.com

网址 (Http): //www.nbyulu.com www.set-screw.com www.hs-bolt.com





CONTENTS 目录

- 01 企业简介 COMPANY BRIEF
- 03 合金钢系列 ALLOY STEEL SERIES
- 06 不锈钢系列 STAINLESS STEEL SERIES
- 09 黄铜系列 BRASS SERIES
- 11 铝合金系列 ALUMINUM ALLOY SERIES
- 13 钛合金系列 TITANIUM ALLOY SERIES
- 15 凌得防松系列 LING LOCKING SERIES
- 16 扳手系列 HEXAGONAL WRENCHES

华申精神
 开拓创新
 团结互助
 共创辉煌



Company Brief 企业简介



宁波华申羽路紧固件有限公司（原宁波市北仑华申紧固件有限公司）成立于2000年6月，是集研发，生产，销售内六角紧定螺钉、梅花紧定螺钉、十字紧定螺钉的专业厂家，并自营进出口业务。公司拥有自有厂房20000平方，进口生产设备200余套，并于2002年通过ISO9001国际质量体系认证。

经国家知识产权局批准，公司生产的钢珠紧定螺钉、园柱锥端紧定螺钉、梅花紧定螺钉、滚花紧定螺钉已取得六项专利（专利号：ZL2012202692501，ZL2012202692605，ZL2012202692906，ZL2012202684971，ZL20122012626001，ZL2012202686159）。并荣获2012年度中国通用零部件特等奖，2013年度中国通用零部件优秀奖，2014年度中国通用零部件优秀奖，华申商标已成为较知名的品牌。

产品执行标准：GB、DIN、ANSI/ASME、ISO、JIS、BS、非标及华申标准。

产品采用材质：合金钢、不锈钢、黄铜、铝合金、钛合金、不锈铁、尼龙。

产品制造范围：线径M3~M30、4#~1"，长度3mm~60mm、1/8~2"。

产品表面处理：本色、发黑、镀锌、镀镍、镀银、镀锡、钝化、防松。

华申产品被欧洲METFIX、美国REGAL、美国PEER、日本NSK、意大利FM、东莞TR等60多家知名企业指定为定点配套，应用于轴承，链轮，纺织机械，锁业，卫浴，运动器材，军用机械等领域。

华申羽路公司始终秉承以精湛的生产技术，一流的品质，至诚的服务为经营理念，与您建立良好的合作伙伴，共求事业不断发展。

Ningbo Huashen Yulu Set Screws Co., Ltd. (former Ningbo Beilun Huashen Set-Screws Co., Ltd.) was founded on June of 2000, is a manufacturer specialized in producing socket set screw, torx set screw and cross set screw. We have self-owned factory 20000 m² in Ningbo of China and over 200 sets of import production equipments, and passed the ISO9001 international quality system in 2002.

Approval by the State Intellectual Property Office, the product of set screw with steel ball, set screw with cone shaped dog point, torx set screw and knurled set screw obtained six patents in 2012.

Our main products are set screws with flat point, cone point 30°、60°、90°、120° etc, dog point, cone shaped dog point, cup point, knurled cup point, steel ball point.

Product standard: GB、DIN、ANSI/ASME、ISO、JIS、BS、customer made and company standard.

Applicable material: alloy steel、stainless steel、brass、aluminium、titanium、rustless iron、nylon.

Production range: wire diameter M3~M30、4#~1", length 3mm~60mm、1/8~2".

Product surface: plain、black、zinc plated、nickel plated、passivated、anti-loose.


HuaShen products by European METFIX, America REGAL, PEER, Japan NSK, FM, Italy and so on more than 20 enterprises designated as a fixed-point matching, applied to bearings, sprockets, textile machinery, lock, bathroom, sports

We strictly control the entire process flow and insist on supplying high quality products with reasonable price and sincerely service to meet customer's requirements. Huashen look forward to establish good business relationship with your esteemed company!




H001

Alloy Steel Socket Set Screws
Flat Point
合金钢平端




H004

Alloy Steel Socket Set Screws
Cup Point
合金钢凹端




H002

Alloy Steel Socket Set Screws
Cone Point
合金钢锥端




H006

Alloy Steel Socket Set Screws
With Knurled Cup Point
合金钢凹端滚花




H003

Alloy Steel Socket Set Screws
Dog Point
合金钢园柱端




H007

Alloy Steel Socket Set Screws
Inside Knurled Cup Point
合金钢内滚花




H031

Alloy Steel Socket Set Screws
Cone Shaped Dog Point
合金钢园柱锥端




H008

Alloy Steel Socket Set Screws
WP Cup Point
合金钢 WP





H032

Alloy Steel Socket Set Screws
Oval And Dog Point
合金钢园柱园头




H009


Alloy Steel Socket Set Screws
Oval Point
合金钢园尾端




Hexagonal
01.(内六角孔)




Six Lobes (Torx)
03.(梅花孔)




Htype Cross Slot
07.(十字孔)



Hexagonal
01.(内六角孔)



Six Lobes (Torx)
03.(梅花孔)



Htype Cross Slot
07.(十字孔)


产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"

产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"




H010

Alloy Steel Socket Set Screws
Ball Point
合金钢钢珠




S001

SS Socket Set Screws Flat Point
不锈钢平端




H0241

Alloy Steel Socket Set Screws
Diamond Point
合金钢钻石端




S002

SS Socket Set Screws
Cone Point
不锈钢锥端




H012

Alloy Steel Socket Set Screws
Brass Tip
合金钢铜头




S003

SS Socket Set Screws Dog
Point
不锈钢园柱端




H013

Alloy Steel Socket Set Screws
Nylon Tip
合金钢尼龙头




S031

SS Socket Set Screws Cone
Shaped Dog Point
不锈钢园柱锥端





H014

Alloy Steel Pipe Plug
合金钢螺塞




S033


SS Socket Set Screws Cup
With Dog Point
不锈钢园柱凹端




Hexagonal
01.(内六角孔)




Six Lobes (Torx)
03.(梅花孔)




Htype Cross Slot
07.(十字孔)



Hexagonal
01.(内六角孔)



Six Lobes (Torx)
03.(梅花孔)



Htype Cross Slot
07.(十字孔)


产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"

产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"




S004

SS Socket Set Screws Cup Point
不锈钢凹端




S013

SS Socket Set Screws Nylon Tip
不锈钢尼龙头




S006

SS Socket Set Screws With
Knurled Cup Point
不锈钢凹端滚花




S014

SS Pipe Plug
不锈钢螺塞




S008

SS Socket Set Screws WP
Cup Point
不锈钢 WP




S030

SS Non Standard
不锈钢两头六角




S009

SS Socket Set Screws Oval Point
不锈钢园尾端




S001-03

SS TORX Set Screws Flat Point
不锈钢梅花平端





S010

SS Socket Set Screws Ball Point
不锈钢钢珠




S001-01


SS Hexagonal Socket Set
Screws Flat Point
不锈钢内六角平端




Hexagonal
01.(内六角孔)




Six Lobes (Torx)
03.(梅花孔)




Htype Cross Slot
07.(十字孔)



Hexagonal
01.(内六角孔)



Six Lobes (Torx)
03.(梅花孔)



Htype Cross Slot
07.(十字孔)


产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"

产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"




B001

Brass Socket Set Screws
Flat Point
黄铜平端




B006

Brass Socket Set Screws With
Knurled Cup Point
黄铜凹端滚花




B002

Brass Socket Set Screws
Cone Point
黄铜锥端




B008

Brass Socket Set Screws WP
Cup Point
黄铜 WP 端




B003

Brass Socket Set Screws
Dog Point
黄铜园柱端




B009

Brass Socket Set Screws Oval
Point
黄铜园尾端




B031

Brass Socket Set Screws Cone
Shaped Dog Point
黄铜园柱锥端




B010

Brass Socket Set Screws
Ball Point
黄铜钢珠





B004

Brass Socket Set Screws Cup
Point
黄铜凹端




B014


Brass Pipe Plug
黄铜螺塞




Hexagonal
01.(内六角孔)




Six Lobes (Torx)
03.(梅花孔)




Htype Cross Slot
07.(十字孔)



Hexagonal
01.(内六角孔)



Six Lobes (Torx)
03.(梅花孔)



Htype Cross Slot
07.(十字孔)


产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"

产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"




AL001

AL Socket Set Screws Flat Point
铝合金平端




AL008

AL Socket Set Screws WP
Cup Point
铝合金 WP 端




AL002

AL Socket Set Screws Cone
Point
铝合金锥端




AL009

AL Socket Set Screws Oval Point
铝合金园尾端




AL003

AL Socket Set Screws Dog Point
铝合金园柱端




AL0241

AL Socket Set Screws
Diamond Point
铝合金钻石端




AL004

AL Socket Set Screws Cup Point
铝合金凹端





AL006

AL Socket Set Screws With
Knurled Cup Point
铝合金凹端滚花




AL013


AL Socket Set Screws Nylon Tip
铝合金尼龙头




Hexagonal
01.(内六角孔)




Six Lobes (Torx)
03.(梅花孔)




Htype Cross Slot
07.(十字孔)



Hexagonal
01.(内六角孔)



Six Lobes (Torx)
03.(梅花孔)



Htype Cross Slot
07.(十字孔)


产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"

产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"




T001

Titanium Alloy Socket Set Screws Flat Point
钛合金平端




T004

Titanium Alloy Socket Set Screws Cup Point
钛合金凹端




T002

Titanium Alloy Socket Set Screws Cone Point
钛合金锥端




T006

Titanium Alloy Socket Set Screws With Knurled Cup Point
钛合金凹端滚花




T003

Titanium Alloy Socket Set Screws Dog Point
钛合金园柱端




T008

Titanium Alloy Socket Set Screws WP Cup Point
钛合金 WP 端




T031

Titanium Alloy Socket Set Screws Cone Shaped Dog Point
钛合金园柱锥端




T009

Titanium Alloy Socket Set Screws Oval Point
钛合金园尾端





T033

Titanium Alloy Socket Set Screws Cup With Dog Point
钛合金园柱凹端




T010


Titanium Alloy Socket Set Screws Ball Point
钛合金钢珠




Hexagonal
01.(内六角孔)




Six Lobes (Torx)
03.(梅花孔)




Htype Cross Slot
07.(十字孔)



Hexagonal
01.(内六角孔)



Six Lobes (Torx)
03.(梅花孔)



Htype Cross Slot
07.(十字孔)


产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"

产品制造范围: 线径 Wire size: M3 ~ M24, 4 # ~ 7/8" 长度 Length: 3mm ~ 60mm, 1/8 ~ 2"




N3001

Red Nylon Patch
红色防松




N3002

Yellow Nylon Patch
黄色防松




N3003

Blue Nylon Patch
蓝色防松





N3004

Orange Nylon Patch
橙色防松




1150-05

Hexagonal Wrenches Zinc
(DIN911 45H)
内六角扳手




1150-08

Hexagonal Wrenches Yellow
Zinc(DIN911 45H)
内六角扳手




1150-01

Hexagonal Wrenches
(DIN911 45H)
内六角扳手



1151

Hexagonal Wrenches
(DIN911 45H)
内六角球头扳手



产品制造范围：线径 M3 ~ M30、4 # ~ 1" 长度：3mm ~ 60mm、1/8 ~ 1"

产品制造范围：线径 S 1/8 ~ S1" 长度：S0.5 ~ S12"