

As a manufacturer of copper based alloy bronze and brass fasteners,bolts,screws,studs,nuts, stamping parts,machining parts,nails,we produce the most comprehensive silicon bronze parts.

These are Yushung's regular manufacturing items.Please feel free to contact us if you don't find specs you need.



Notes:

\*C65100 / C65500 silicon bronze fasteners are excellent for use in many marine and commercial applications.

\*Used where a stainless steel fasteners might not meet the applications,or a dissimilar metal is required.

\*Made from Cu with Si,Mn,Zn,Ni added for strength.

\*Silicon bronze is known as a high-strength material with several important factors,including high conductivity,excellent corrosion resistance to brines, gases and sulphites.

**Silicon Bronze Slotted Flat Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 3/8	#9 x 3/4	#14 x 1 3/4	#18 x 6
#4 x 1/2	#9 x 7/8	#14 x 2	#20 x 2
#4 x 5/8	#9 x 1	#14 x 2 1/4	#20 x 2 1/4
#4 x 3/4	#9 x 1 1/4	#14 x 2 1/2	#20 x 2 1/2
#4 x 7/8	#9 x 1 1/2	#14 x 2 3/4	#20 x 2 3/4
#4 x 1	#9 x 1 3/4	#14 x 3	#20 x 3
#4 x 1 1/4	#9 x 2	#14 x 3 1/4	#20 x 3 1/4
#4 x 1 1/2	#9 x 2 1/2	#14 x 3 1/2	#20 x 3 1/2
#4 x 2	#9 x 3	#14 x 3 3/4	#20 x 3 3/4
#5 x 3/8	#10 x 1/2	#14 x 4	#20 x 4
#5 x 1/2	#10 x 5/8	#14 x 4 1/2	#20 x 4 1/2
#5 x 3/4	#10 x 3/4	#14 x 5	#20 x 5
#5 x 1	#10 x 7/8	#14 x 5 1/2	#20 x 5 1/2
#5 x 1 1/4	#10 x 1	#14 x 6	#20 x 6
#5 x 1 1/2	#10 x 1 1/4	#16 x 1	#24 x 2
#5 x 2	#10 x 1 1/2	#16 x 1 1/4	#24 x 2 1/4
#6 x 1/2	#10 x 1 3/4	#16 x 1 1/2	#24 x 2 1/2
#6 x 5/8	#10 x 2	#16 x 1 3/4	#24 x 2 3/4
#6 x 3/4	#10 x 2 1/4	#16 x 2	#24 x 3
#6 x 7/8	#10 x 2 1/2	#16 x 2 1/4	#24 x 3 1/4
#6 x 1	#10 x 2 3/4	#16 x 2 1/2	#24 x 3 1/2
#6 x 1 1/4	#10 x 3	#16 x 2 3/4	#24 x 3 3/4
#6 x 1 1/2	#10 x 3 1/2	#16 x 3	#24 x 4
#6 x 2	#10 x 4	#16 x 3 1/4	#24 x 4 1/2
#7 x 1/2	#12 x 5/8	#16 x 3 1/2	#24 x 5
#7 x 5/8	#12 x 3/4	#16 x 3 3/4	#24 x 5 1/2
#7 x 3/4	#12 x 7/8	#16 x 4	#24 x 6
#7 x 1	#12 x 1	#16 x 4 1/2	
#7 x 1 1/4	#12 x 1 1/4	#16 x 5	
#7 x 1 1/2	#12 x 1 1/2	#16 x 5 1/2	
#7 x 2	#12 x 1 3/4	#16 x 6	
#8 x 1/2	#12 x 2	#18 x 1 1/2	
#8 x 5/8	#12 x 2 1/4	#18 x 1 3/4	
#8 x 3/4	#12 x 2 1/2	#18 x 2	
#8 x 7/8	#12 x 2 3/4	#18 x 2 1/4	
#8 x 1	#12 x 3	#18 x 2 1/2	
#8 x 1 1/8	#12 x 3 1/4	#18 x 2 3/4	
#8 x 1 1/4	#12 x 3 1/2	#18 x 3	
#8 x 1 1/2	#12 x 3 3/4	#18 x 3 1/4	
#8 x 1 3/4	#12 x 4	#18 x 3 1/2	
#8 x 2	#14 x 3/4	#18 x 3 3/4	
#8 x 2 1/4	#14 x 7/8	#18 x 4	
#8 x 2 1/2	#14 x 1	#18 x 4 1/2	
#8 x 2 3/4	#14 x 1 1/4	#18 x 5	
#8 x 3	#14 x 1 1/2	#18 x 5 1/2	

**Silicon Bronze Slotted Oval Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 3/8	#9 x 3/4	#14 x 1 3/4	#18 x 6
#4 x 1/2	#9 x 7/8	#14 x 2	#20 x 2
#4 x 5/8	#9 x 1	#14 x 2 1/4	#20 x 2 1/4
#4 x 3/4	#9 x 1 1/4	#14 x 2 1/2	#20 x 2 1/2
#4 x 7/8	#9 x 1 1/2	#14 x 2 3/4	#20 x 2 3/4
#4 x 1	#9 x 1 3/4	#14 x 3	#20 x 3
#4 x 1 1/4	#9 x 2	#14 x 3 1/4	#20 x 3 1/4
#4 x 1 1/2	#9 x 2 1/2	#14 x 3 1/2	#20 x 3 1/2
#4 x 2	#9 x 3	#14 x 3 3/4	#20 x 3 3/4
#5 x 3/8	#10 x 1/2	#14 x 4	#20 x 4
#5 x 1/2	#10 x 5/8	#14 x 4 1/2	#20 x 4 1/2
#5 x 3/4	#10 x 3/4	#14 x 5	#20 x 5
#5 x 1	#10 x 7/8	#14 x 5 1/2	#20 x 5 1/2
#5 x 1 1/4	#10 x 1	#14 x 6	#20 x 6
#5 x 1 1/2	#10 x 1 1/4	#16 x 1	#24 x 2
#5 x 2	#10 x 1 1/2	#16 x 1 1/4	#24 x 2 1/4
#6 x 1/2	#10 x 1 3/4	#16 x 1 1/2	#24 x 2 1/2
#6 x 5/8	#10 x 2	#16 x 1 3/4	#24 x 2 3/4
#6 x 3/4	#10 x 2 1/4	#16 x 2	#24 x 3
#6 x 7/8	#10 x 2 1/2	#16 x 2 1/4	#24 x 3 1/4
#6 x 1	#10 x 2 3/4	#16 x 2 1/2	#24 x 3 1/2
#6 x 1 1/4	#10 x 3	#16 x 2 3/4	#24 x 3 3/4
#6 x 1 1/2	#10 x 3 1/2	#16 x 3	#24 x 4
#6 x 2	#10 x 4	#16 x 3 1/4	#24 x 4 1/2
#7 x 1/2	#12 x 5/8	#16 x 3 1/2	#24 x 5
#7 x 5/8	#12 x 3/4	#16 x 3 3/4	#24 x 5 1/2
#7 x 3/4	#12 x 7/8	#16 x 4	#24 x 6
#7 x 1	#12 x 1	#16 x 4 1/2	
#7 x 1 1/4	#12 x 1 1/4	#16 x 5	
#7 x 1 1/2	#12 x 1 1/2	#16 x 5 1/2	
#7 x 2	#12 x 1 3/4	#16 x 6	
#8 x 1/2	#12 x 2	#18 x 1 1/2	
#8 x 5/8	#12 x 2 1/4	#18 x 1 3/4	
#8 x 3/4	#12 x 2 1/2	#18 x 2	
#8 x 7/8	#12 x 2 3/4	#18 x 2 1/4	
#8 x 1	#12 x 3	#18 x 2 1/2	
#8 x 1 1/8	#12 x 3 1/4	#18 x 2 3/4	
#8 x 1 1/4	#12 x 3 1/2	#18 x 3	
#8 x 1 1/2	#12 x 3 3/4	#18 x 3 1/4	
#8 x 1 3/4	#12 x 4	#18 x 3 1/2	
#8 x 2	#14 x 3/4	#18 x 3 3/4	
#8 x 2 1/4	#14 x 7/8	#18 x 4	
#8 x 2 1/2	#14 x 1	#18 x 4 1/2	
#8 x 2 3/4	#14 x 1 1/4	#18 x 5	
#8 x 3	#14 x 1 1/2	#18 x 5 1/2	

**Silicon Bronze Slotted Round Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 3/8	#9 x 3/4	#14 x 1 3/4	#18 x 6
#4 x 1/2	#9 x 7/8	#14 x 2	#20 x 2
#4 x 5/8	#9 x 1	#14 x 2 1/4	#20 x 2 1/4
#4 x 3/4	#9 x 1 1/4	#14 x 2 1/2	#20 x 2 1/2
#4 x 7/8	#9 x 1 1/2	#14 x 2 3/4	#20 x 2 3/4
#4 x 1	#9 x 1 3/4	#14 x 3	#20 x 3
#4 x 1 1/4	#9 x 2	#14 x 3 1/4	#20 x 3 1/4
#4 x 1 1/2	#9 x 2 1/2	#14 x 3 1/2	#20 x 3 1/2
#4 x 2	#9 x 3	#14 x 3 3/4	#20 x 3 3/4
#5 x 3/8	#10 x 1/2	#14 x 4	#20 x 4
#5 x 1/2	#10 x 5/8	#14 x 4 1/2	#20 x 4 1/2
#5 x 3/4	#10 x 3/4	#14 x 5	#20 x 5
#5 x 1	#10 x 7/8	#14 x 5 1/2	#20 x 5 1/2
#5 x 1 1/4	#10 x 1	#14 x 6	#20 x 6
#5 x 1 1/2	#10 x 1 1/4	#16 x 1	#24 x 2
#5 x 2	#10 x 1 1/2	#16 x 1 1/4	#24 x 2 1/4
#6 x 1/2	#10 x 1 3/4	#16 x 1 1/2	#24 x 2 1/2
#6 x 5/8	#10 x 2	#16 x 1 3/4	#24 x 2 3/4
#6 x 3/4	#10 x 2 1/4	#16 x 2	#24 x 3
#6 x 7/8	#10 x 2 1/2	#16 x 2 1/4	#24 x 3 1/4
#6 x 1	#10 x 2 3/4	#16 x 2 1/2	#24 x 3 1/2
#6 x 1 1/4	#10 x 3	#16 x 2 3/4	#24 x 3 3/4
#6 x 1 1/2	#10 x 3 1/2	#16 x 3	#24 x 4
#6 x 2	#10 x 4	#16 x 3 1/4	#24 x 4 1/2
#7 x 1/2	#12 x 5/8	#16 x 3 1/2	#24 x 5
#7 x 5/8	#12 x 3/4	#16 x 3 3/4	#24 x 5 1/2
#7 x 3/4	#12 x 7/8	#16 x 4	#24 x 6
#7 x 1	#12 x 1	#16 x 4 1/2	
#7 x 1 1/4	#12 x 1 1/4	#16 x 5	
#7 x 1 1/2	#12 x 1 1/2	#16 x 5 1/2	
#7 x 2	#12 x 1 3/4	#16 x 6	
#8 x 1/2	#12 x 2	#18 x 1 1/2	
#8 x 5/8	#12 x 2 1/4	#18 x 1 3/4	
#8 x 3/4	#12 x 2 1/2	#18 x 2	
#8 x 7/8	#12 x 2 3/4	#18 x 2 1/4	
#8 x 1	#12 x 3	#18 x 2 1/2	
#8 x 1 1/8	#12 x 3 1/4	#18 x 2 3/4	
#8 x 1 1/4	#12 x 3 1/2	#18 x 3	
#8 x 1 1/2	#12 x 3 3/4	#18 x 3 1/4	
#8 x 1 3/4	#12 x 4	#18 x 3 1/2	
#8 x 2	#14 x 3/4	#18 x 3 3/4	
#8 x 2 1/4	#14 x 7/8	#18 x 4	
#8 x 2 1/2	#14 x 1	#18 x 4 1/2	
#8 x 2 3/4	#14 x 1 1/4	#18 x 5	
#8 x 3	#14 x 1 1/2	#18 x 5 1/2	

**Silicon Bronze R & P Flat Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 1/2	#9 x 3/4	#12 x 3 1/2	#16 x 3 3/4
#4 x 5/8	#9 x 1	#12 x 3 3/4	#16 x 4
#4 x 3/4	#9 x 1 1/4	#12 x 4	#16 x 4 1/2
#4 x 1	#9 x 1 1/2	#14 x 3/4	#16 x 5
#6 x 1/2	#9 x 1 3/4	#14 x 7/8	#16 x 6
#6 x 5/8	#9 x 2	#14 x 1	#18 x 1 1/2
#6 x 3/4	#10 x 1/2	#14 x 1 1/4	#18 x 1 3/4
#6 x 7/8	#10 x 5/8	#14 x 1 1/2	#18 x 2
#6 x 1	#10 x 3/4	#14 x 1 3/4	#18 x 2 1/4
#6 x 1 1/4	#10 x 7/8	#14 x 2	#18 x 2 1/2
#6 x 1 1/2	#10 x 1	#14 x 2 1/4	#18 x 2 3/4
#6 x 1 3/4	#10 x 1 1/4	#14 x 2 1/2	#18 x 3
#6 x 2	#10 x 1 1/2	#14 x 2 3/4	#18 x 3 1/4
#7 x 1/2	#10 x 1 3/4	#14 x 3	#18 x 3 1/2
#7 x 5/8	#10 x 2	#14 x 3 1/2	#18 x 3 3/4
#7 x 3/4	#10 x 2 1/4	#14 x 4	#18 x 4
#7 x 1	#10 x 2 1/2	#14 x 4 1/2	#18 x 4 1/2
#7 x 1 1/4	#10 x 2 3/4	#14 x 5	#18 x 5
#7 x 1 1/2	#10 x 3	#14 x 5 1/2	#18 x 5 1/2
#8 x 1/2	#10 x 3 1/2	#14 x 6	#18 x 6
#8 x 5/8	#10 x 4	#16 x 1	#20 x 2
#8 x 3/4	#12 x 5/8	#16 x 1 1/4	#20 x 2 1/2
#8 x 7/8	#12 x 3/4	#16 x 1 1/2	#20 x 2 3/4
#8 x 1	#12 x 1	#16 x 1 3/4	#20 x 3
#8 x 1 1/4	#12 x 1 1/4	#16 x 2	#20 x 3 1/4
#8 x 1 1/2	#12 x 1 1/2	#16 x 2 1/4	#20 x 3 1/2
#8 x 1 3/4	#12 x 1 3/4	#16 x 2 1/2	#20 x 3 3/4
#8 x 2	#12 x 2	#16 x 2 3/4	#20 x 4
#8 x 2 1/4	#12 x 2 1/4	#16 x 3	#20 x 4 1/2
#8 x 2 1/2	#12 x 2 1/2	#16 x 3 1/4	#20 x 5
#8 x 3	#12 x 3	#16 x 3 1/2	#20 x 6



**Silicon Bronze R & P Oval Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 1/2	#10 x 1/2	#14 x 2 1/4	
#4 x 5/8	#10 x 5/8	#14 x 2 1/2	
#4 x 3/4	#10 x 3/4	#14 x 2 3/4	
#4 x 1	#10 x 7/8	#14 x 3	
#6 x 1/2	#10 x 1		
#6 x 5/8	#10 x 1 1/4		
#6 x 3/4	#10 x 1 1/2		
#6 x 7/8	#10 x 1 3/4		
#6 x 1	#10 x 2		
#6 x 1 1/4	#10 x 2 1/4		
#6 x 1 1/2	#10 x 2 1/2		
#7 x 1/2	#10 x 2 3/4		
#7 x 5/8	#10 x 3		
#7 x 3/4	#10 x 3 1/2		
#7 x 1	#12 x 1		
#7 x 1 1/4	#12 x 1 1/4		
#7 x 1 1/2	#12 x 1 1/2		
#8 x 1/2	#12 x 1 3/4		
#8 x 5/8	#12 x 2		
#8 x 3/4	#12 x 2 1/4		
#8 x 7/8	#12 x 2 1/2		
#8 x 1	#12 x 3		
#8 x 1 1/4	#12 x 3 1/2		
#8 x 1 1/2	#14 x 1		
#8 x 1 3/4	#14 x 1 1/4		
#8 x 2	#14 x 1 1/2		
#8 x 2 1/2	#14 x 1 3/4		
#8 x 3	#14 x 2		

**Silicon Bronze Square Drive Flat Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 1/2	#9 x 3/4	#12 x 3 1/2	#18 x 5
#4 x 5/8	#9 x 1	#14 x 1	#18 x 6
#4 x 3/4	#9 x 1 1/4	#14 x 1 1/4	#20 x 2 1/2
#4 x 1	#9 x 1 1/2	#14 x 1 1/2	#20 x 3
#6 x 1/2	#9 x 1 3/4	#14 x 1 3/4	#20 x 3 1/2
#6 x 5/8	#9 x 2	#14 x 2	#20 x 4
#6 x 3/4	#10 x 1/2	#14 x 2 1/4	#20 x 4 1/2
#6 x 7/8	#10 x 5/8	#14 x 2 1/2	#20 x 5
#6 x 1	#10 x 3/4	#14 x 2 3/4	#20 x 6
#6 x 1 1/4	#10 x 7/8	#14 x 3	#24 x 2
#6 x 1 1/2	#10 x 1	#14 x 4	#24 x 2 1/2
#7 x 1/2	#10 x 1 1/4	#16 x 1	#24 x 2 3/4
#7 x 5/8	#10 x 1 1/2	#16 x 1 1/4	#24 x 3
#7 x 3/4	#10 x 1 3/4	#16 x 1 1/2	#24 x 3 1/2
#7 x 1	#10 x 2	#16 x 1 3/4	#24 x 4
#7 x 1 1/4	#10 x 2 1/4	#16 x 2	#24 x 4 1/2
#7 x 1 1/2	#10 x 2 1/2	#16 x 2 1/4	#24 x 5
#8 x 1/2	#10 x 2 3/4	#16 x 2 1/2	#24 x 6
#8 x 5/8	#10 x 3	#16 x 2 3/4	*****
#8 x 3/4	#10 x 3 1/2	#16 x 3	5/8 x 6 (A/F 3/8)
#8 x 7/8	#12 x 1	#16 x 4	5/8 x 7 (A/F 3/8)
#8 x 1	#12 x 1 1/4	#18 x 1 1/2	5/8 x 8 (A/F 3/8)
#8 x 1 1/4	#12 x 1 1/2	#18 x 1 3/4	3/4 x 7 (A/F 1/2)
#8 x 1 1/2	#12 x 1 3/4	#18 x 2	3/4 x 8 (A/F 1/2)
#8 x 1 3/4	#12 x 2	#18 x 2 1/2	3/4 x 9 (A/F 1/2)
#8 x 2	#12 x 2 1/4	#18 x 3	3/4 x 10 (A/F 1/2)
#8 x 2 1/2	#12 x 2 1/2	#18 x 4	
#8 x 3	#12 x 3	#18 x 4 1/2	



**Silicon Bronze Square Drive Oval Head Wood Screws Cut Threads B18.6.1**

Specs		Specs		Specs		Specs	
#4 x 1/2		#9 x 3/4		#12 x 3 1/2			
#4 x 5/8		#9 x 1		#14 x 1			
#4 x 3/4		#9 x 1 1/4		#14 x 1 1/4			
#4 x 1		#9 x 1 1/2		#14 x 1 1/2			
#6 x 1/2		#9 x 1 3/4		#14 x 1 3/4			
#6 x 5/8		#9 x 2		#14 x 2			
#6 x 3/4		#10 x 1/2		#14 x 2 1/4			
#6 x 7/8		#10 x 5/8		#14 x 2 1/2			
#6 x 1		#10 x 3/4		#14 x 2 3/4			
#6 x 1 1/4		#10 x 7/8		#14 x 3			
#6 x 1 1/2		#10 x 1					
#7 x 1/2		#10 x 1 1/4					
#7 x 5/8		#10 x 1 1/2					
#7 x 3/4		#10 x 1 3/4					
#7 x 1		#10 x 2					
#7 x 1 1/4		#10 x 2 1/4					
#7 x 1 1/2		#10 x 2 1/2					
#8 x 1/2		#10 x 2 3/4					
#8 x 5/8		#10 x 3					
#8 x 3/4		#12 x 1					
#8 x 7/8		#12 x 1 1/4					
#8 x 1		#12 x 1 1/2					
#8 x 1 1/4		#12 x 1 3/4					
#8 x 1 1/2		#12 x 2					
#8 x 1 3/4		#12 x 2 1/4					
#8 x 2		#12 x 2 1/2					
#8 x 2 1/2		#12 x 2 3/4					
#8 x 3		#12 x 3					





**Silicon Bronze Square Drive Round Head Wood Screws Cut Threads B18.6.1**

Specs	Specs	Specs	Specs
#4 x 1/2	#9 x 3/4	#12 x 3 1/2	
#4 x 5/8	#9 x 1	#14 x 1	
#4 x 3/4	#9 x 1 1/4	#14 x 1 1/4	
#4 x 1	#9 x 1 1/2	#14 x 1 1/2	
#6 x 1/2	#9 x 1 3/4	#14 x 1 3/4	
#6 x 5/8	#9 x 2	#14 x 2	
#6 x 3/4	#10 x 1/2	#14 x 2 1/4	
#6 x 7/8	#10 x 5/8	#14 x 2 1/2	
#6 x 1	#10 x 3/4	#14 x 2 3/4	
#6 x 1 1/4	#10 x 7/8	#14 x 3	
#6 x 1 1/2	#10 x 1		
#7 x 1/2	#10 x 1 1/4		
#7 x 5/8	#10 x 1 1/2		
#7 x 3/4	#10 x 1 3/4		
#7 x 1	#10 x 2		
#7 x 1 1/4	#10 x 2 1/4		
#7 x 1 1/2	#10 x 2 1/2		
#8 x 1/2	#10 x 2 3/4		
#8 x 5/8	#10 x 3		
#8 x 3/4	#12 x 1		
#8 x 7/8	#12 x 1 1/4		
#8 x 1	#12 x 1 1/2		
#8 x 1 1/4	#12 x 1 3/4		
#8 x 1 1/2	#12 x 2		
#8 x 2	#12 x 2 1/4		
#8 x 2 1/2	#12 x 2 1/2		
#8 x 3	#12 x 3		

**Silicon Bronze Slotted Flat Head Machine Screws B18.6.3**

Specs	Specs	Specs	Specs
4-40 x 1/4	10-24 x 3/8	5/16-18 x 1/2	1/2-13 x 3 1/2
4-40 x 5/16	10-24 x 1/2	5/16-18 x 5/8	1/2-13 x 4
4-40 x 3/8	10-24 x 5/8	5/16-18 x 3/4	1/2-13 x 4 1/2
4-40 x 1/2	10-24 x 3/4	5/16-18 x 1	1/2-13 x 5
4-40 x 5/8	10-24 x 7/8	5/16-18 x 1 1/4	1/2-13 x 6
4-40 x 3/4	10-24 x 1	5/16-18 x 1 1/2	5/8-11 x 1
4-40 x 1	10-24 x 1 1/4	5/16-18 x 1 3/4	5/8-11 x 1 1/4
4-40 x 1 1/4	10-24 x 1 1/2	5/16-18 x 2	5/8-11 x 1 1/2
4-40 x 1 1/2	10-24 x 2	5/16-18 x 2 1/4	5/8-11 x 2
4-40 x 2	10-24 x 2 1/2	5/16-18 x 2 1/2	5/8-11 x 2 1/2
6-32 x 1/4	10-24 x 3	5/16-18 x 3	5/8-11 x 3
6-32 x 5/16	10-24 x 4	5/16-18 x 3 1/2	5/8-11 x 3 1/2
6-32 x 3/8	10-32 x 3/8	5/16-18 x 4	5/8-11 x 4
6-32 x 1/2	10-32 x 1/2	5/16-18 x 4 1/2	5/8-11 x 4 1/2
6-32 x 5/8	10-32 x 5/8	5/16-18 x 5	5/8-11 x 5
6-32 x 3/4	10-32 x 3/4	5/16-18 x 6	5/8-11 x 6
6-32 x 1	10-32 x 1	3/8-16 x 5/8	3/4-10x1
6-32 x 1 1/4	10-32 x 1 1/4	3/8-16 x 3/4	3/4-10x1 1/4
6-32 x 1 1/2	10-32 x 1 1/2	3/8-16 x 1	3/4-10x1 1/2
6-32 x 1 3/4	10-32 x 1 3/4	3/8-16 x 1 1/4	3/4-10x1 3/4
6-32 x 2	10-32 x 2	3/8-16 x 1 1/2	3/4-10 x 2
6-32 x 2 1/2	10-32 x 2 1/2	3/8-16 x 1 3/4	3/4-10 x 2 1/2
6-32 x 3	10-32 x 3	3/8-16 x 2	3/4-10 x 3
8-32 x 1/4	1/4-20 x 3/8	3/8-16 x 2 1/2	3/4-10 x 3 1/2
8-32 x 5/16	1/4-20 x 1/2	3/8-16 x 3	3/4-10 x 4
8-32 x 3/8	1/4-20 x 5/8	3/8-16 x 3 1/2	3/4-10 x 5
8-32 x 1/2	1/4-20 x 3/4	3/8-16 x 4	3/4-10 x 6
8-32 x 5/8	1/4-20 x 1	3/8-16 x 4 1/2	
8-32 x 3/4	1/4-20 x 1 1/4	3/8-16 x 5	
8-32 x 1	1/4-20 x 1 1/2	3/8-16 x 6	
8-32 x 1 1/4	1/4-20 x 1 3/4	1/2-13 x 3/4	
8-32 x 1 1/2	1/4-20 x 2	1/2-13 x 1	
8-32 x 1 3/4	1/4-20 x 2 1/2	1/2-13 x 1 1/4	
8-32 x 2	1/4-20 x 3	1/2-13 x 1 1/2	
8-32 x 2 1/2	1/4-20 x 3 1/2	1/2-13 x 1 3/4	
8-32 x 3	1/4-20 x 4	1/2-13 x 2	
10-24 x 1/4	1/4-20 x 5	1/2-13 x 2 1/2	
10-24 x 5/16	1/4-20 x 6	1/2-13 x 3	



**Silicon Bronze Slotted Flat Head Machine Bolt Full Body With Partial Threads B18.6.3**

Specs	Specs	Specs	Specs
1/4-20 x 1 1/2	3/8-16 x 5	5/8-11 x 3 1/2	
1/4-20 x 1 3/4	3/8-16 x 6	5/8-11 x 4	
1/4-20 x 2	3/8-16 x 7	5/8-11 x 5	
1/4-20 x 2 1/2	3/8-16 x 8	5/8-11 x 6	
1/4-30 x 3	3/8-16 x 9	5/8-11 x 7	
1/4-20 x 3 1/2	3/8-16 x 10	5/8-11 x 8	
1/4-20 x 4	3/8-16 x 11	5/8-11 x 9	
1/4-20 x 4 1/2	3/8-16 x 12	5/8-11 x 10	
1/4-20 x 5	3/8-16 x 14	5/8-11 x 11	
1/4-20 x 5 1/2	7/16-14 x 1 1/2	5/8-11 x 12	
1/4-20 x 6	7/16-14 x 2	5/8-11 x 14	
1/4-20 x 7	7/16-14 x 2 1/2	5/8-11 x 16	
1/4-20 x 8	7/16-14 x 3	5/8-11 x 18	
1/4-20 x 8 1/2	7/16-14 x 4	5/8-11 x 20	
1/4-20 x 9	7/16-14 x 5	5/8-11 x 25	
1/4-20 x 10	7/16-14 x 6	3/4-10 x 3	
1/4-20 x 11	7/16-14 x 7	3/4-10 x 3 1/2	
1/4-20 x 12	7/16-14 x 8	3/4-10 x 4	
5/16-18 x 2	7/16-14 x 9	3/4-10 x 5	
5/16-18 x 2 1/2	7/16-14 x 10	3/4-10 x 6	
5/16-18 x 3	7/16-14 x 12	3/4-10 x 7	
5/16-18 x 3 1/2	1/2-13 x 3	3/4-10 x 8	
5/16-18 x 4	1/2-13 x 3 1/4	3/4-10 x 9	
5/16-18 x 4 1/2	1/2-13 x 3 1/2	3/4-10 x 10	
5/16-18 x 5	1/2-13 x 3 3/4	3/4-10 x 11	
5/16-18 x 6	1/2-13 x 4	3/4-10 x 12	
5/16-18 x 7	1/2-13 x 4 1/2	3/4-10 x 14	
5/16-18 x 8	1/2-13 x 5	3/4-10 x 16	
5/16-18 x 9	1/2-13 x 6	3/4-10 x 20	
5/16-18 x 10	1/2-13 x 7	3/4-10 x 25	
5/16-18 x 11	1/2-13 x 8		
5/16-18 x 12	1/2-13 x 9		
3/8-16 x 2	1/2-13 x 10		
3/8-16 x 2 1/2	1/2-13 x 11		
3/8-16 x 3	1/2-13 x 12		
3/8-16 x 3 1/2	1/2-13 x 14		
3/8-16 x 4	1/2-13 x 16		
3/8-16 x 4 1/2	5/8-11 x 3		

**Silicon Bronze Slotted Flat Head Machine Screws DIN963**

Specs	Specs	Specs	Specs
2.0 x 10	4.0 x 20	6.0 x 90	10.0 x 90
2.0 x 12	4.0 x 25	6.0 x 100	10.0 x 100
2.0 x 16	4.0 x 30	8.0 x 10	10.0 x 110
2.0 x 20	4.0 x 35	8.0 x 12	10.0 x 120
2.0 x 25	4.0 x 40	8.0 x 16	10.0 x 130
2.5 x 5	4.0 x 45	8.0 x 20	10.0 x 140
2.5 x 6	4.0 x 50	8.0 x 25	10.0 x 150
2.5 x 8	5.0 x 8	8.0 x 30	12.0 x 50
2.5 x 10	5.0 x 10	8.0 x 35	12.0 x 55
2.5 x 12	5.0 x 12	8.0 x 40	12.0 x 60
2.5 x 16	5.0 x 16	8.0 x 45	12.0 x 65
2.5 x 20	5.0 x 20	8.0 x 50	12.0 x 70
2.5 x 25	5.0 x 25	8.0 x 55	12.0 x 75
3.0 x 5	5.0 x 30	8.0 x 60	12.0 x 80
3.0 x 6	5.0 x 35	8.0 x 65	12.0 x 90
3.0 x 8	5.0 x 40	8.0 x 70	12.0 x 100
3.0 x 10	5.0 x 50	8.0 x 75	12.0 x 110
3.0 x 12	5.0 x 55	8.0 x 80	12.0 x 120
3.0 x 16	5.0 x 60	8.0 x 85	12.0 x 130
3.0 x 20	5.0 x 65	8.0 x 90	12.0 x 140
3.0 x 25	5.0 x 70	8.0 x 100	12.0 x 150
3.0 x 30	5.0 x 75	8.0 x 105	12.0 x 170
3.0 x 35	5.0 x 90	8.0 x 110	12.0 x 200
3.0 x 40	5.0 x 100	8.0 x 120	12.0 x 210
3.0 x 50	6.0 x 10	8.0 x 130	12.0 x 220
3.5 x 6	6.0 x 12	8.0 x 140	12.0 x 230
3.5 x 8	6.0 x 16	8.0 x 150	12.0 x 240
3.5 x 10	6.0 x 20	10.0 x 20	12.0 x 250
3.5 x 12	6.0 x 25	10.0 x 25	12.0 x 300
3.5 x 16	6.0 x 30	10.0 x 30	16.0 x 50
3.5 x 20	6.0 x 35	10.0 x 35	16.0 x 55
3.5 x 25	6.0 x 40	10.0 x 40	16.0 x 60
3.5 x 30	6.0 x 45	10.0 x 45	16.0 x 70
3.5 x 35	6.0 x 50	10.0 x 50	16.0 x 75
3.5 x 40	6.0 x 55	10.0 x 55	16.0 x 90
3.5 x 50	6.0 x 60	10.0 x 60	16.0 x 100
4.0 x 6	6.0 x 65	10.0 x 65	16.0 x 150
4.0 x 8	6.0 x 70	10.0 x 70	16.0 x 200
4.0 x 10	6.0 x 75	10.0 x 75	
4.0 x 12	6.0 x 80	10.0 x 80	
4.0 x 16	6.0 x 85	10.0 x 85	

**Silicon Bronze Slotted Oval Head Machine Screws B18.6.3**

Specs		Specs		Specs		Specs	
4-40 x 1/4		10-24 x 1 1/4		5/16-18 x 3 1/2		3/4-10 x 5	
4-40 x 5/16		10-24 x 1 1/2		5/16-18 x 4		3/4-10 x 6	
4-40 x 3/8		10-24 x 2		5/16-18 x 5			
4-40 x 1/2		10-24 x 2 1/2		3/8-16 x 5/8			
4-40 x 5/8		10-24 x 3		3/8-16 x 3/4			
4-40 x 3/4		10-24 x 4		3/8-16 x 1			
4-40 x 1		10-32 x 3/8		3/8-16 x 1 1/4			
4-40 x 1 1/4		10-32 x 1/2		3/8-16 x 1 1/2			
4-40 x 1 1/2		10-32 x 5/8		3/8-16 x 1 3/4			
6-32 x 1/4		10-32 x 3/4		3/8-16 x 2			
6-32 x 5/16		10-32 x 1		3/8-16 x 2 1/2			
6-32 x 3/8		10-32 x 1 1/4		3/8-16 x 3			
6-32 x 1/2		10-32 x 1 1/2		3/8-16 x 3 1/2			
6-32 x 5/8		10-32 x 1 3/4		3/8-16 x 4			
6-32 x 3/4		10-32 x 2		3/8-16 x 4 1/2			
6-32 x 1		10-32 x 2 1/2		3/8-16 x 5			
6-32 x 1 1/4		10-32 x 3		3/8-16 x 6			
6-32 x 1 1/2		1/4-20 x 3/8		1/2-13 x 1			
6-32 x 1 3/4		1/4-20 x 1/2		1/2-13 x 1 1/4			
6-32 x 2		1/4-20 x 5/8		1/2-13 x 1 1/2			
6-32 x 2 1/2		1/4-20 x 3/4		1/2-13 x 1 3/4			
8-32 x 1/4		1/4-20 x 1		1/2-13 x 2			
8-32 x 5/16		1/4-20 x 1 1/4		1/2-13 x 2 1/2			
8-32 x 3/8		1/4-20 x 1 1/2		1/2-13 x 3			
8-32 x 1/2		1/4-20 x 1 3/4		1/2-13 x 3 1/2			
8-32 x 5/8		1/4-20 x 2		1/2-13 x 4			
8-32 x 3/4		1/4-20 x 2 1/2		1/2-13 x 4 1/2			
8-32 x 1		1/4-20 x 3		1/2-13 x 5			
8-32 x 1 1/4		1/4-20 x 3 1/2		1/2-13 x 6			
8-32 x 1 1/2		1/4-20 x 4		5/8-11 x 2			
8-32 x 1 3/4		1/4-20 x 5		5/8-11 x 3			
8-32 x 2		5/16-18 x 1/2		5/8-11 x 3 1/2			
8-32 x 2 1/2		5/16-18 x 5/8		5/8-11 x 4			
8-32 x 3		5/16-18 x 3/4		5/8-11 x 4 1/2			
10-24 x 1/4		5/16-18 x 1		5/8-11 x 5			
10-24 x 5/16		5/16-18 x 1 1/4		5/8-11 x 6			
10-24 x 3/8		5/16-18 x 1 1/2		3/4-10 x 2			
10-24 x 1/2		5/16-18 x 1 3/4		3/4-10 x 2 1/2			
10-24 x 5/8		5/16-18 x 2		3/4-10 x 3			
10-24 x 3/4		5/16-18 x 2 1/2		3/4-10 x 3 1/2			



**Silicon Bronze Slotted Oval Head Strut Bolt Full Body With Partial Threads B18.6.3**

Specs	Specs	Specs	Specs
1/4-20 x 2	3/8-16 x 11	3/4-10 x 9	
1/4-20 x 2 1/2	3/8-16 x 12	3/4-10 x 10	
1/4-30 x 3	3/8-16 x 14	3/4-10 x 12	
1/4-20 x 3 1/2	1/2-13 x 3	3/4-10 x 14	
1/4-20 x 4	1/2-13 x 3 1/4	3/4-10 x 16	
1/4-20 x 4 1/2	1/2-13 x 3 1/2	3/4-10 x 20	
1/4-20 x 5	1/2-13 x 3 3/4		
1/4-20 x 5 1/2	1/2-13 x 4		
1/4-20 x 6	1/2-13 x 4 1/2		
1/4-20 x 7	1/2-13 x 5		
1/4-20 x 8	1/2-13 x 6		
1/4-20 x 8 1/2	1/2-13 x 7		
1/4-20 x 9	1/2-13 x 8		
1/4-20 x 10	1/2-13 x 9		
1/4-20 x 11	1/2-13 x 10		
1/4-20 x 12	1/2-13 x 11		
5/16-18 x 2 1/2	1/2-13 x 12		
5/16-18 x 3	1/2-13 x 14		
5/16-18 x 3 1/2	1/2-13 x 16		
5/16-18 x 4	5/8-11 x 3		
5/16-18 x 4 1/2	5/8-11 x 3 1/2		
5/16-18 x 5	5/8-11 x 4		
5/16-18 x 6	5/8-11 x 5		
5/16-18 x 7	5/8-11 x 6		
5/16-18 x 8	5/8-11 x 7		
5/16-18 x 9	5/8-11 x 8		
5/16-18 x 10	5/8-11 x 9		
5/16-18 x 11	5/8-11 x 10		
5/16-18 x 12	5/8-11 x 11		
3/8-16 x 2 1/2	5/8-11 x 12		
3/8-16 x 3	5/8-11 x 14		
3/8-16 x 3 1/2	5/8-11 x 16		
3/8-16 x 4	5/8-11 x 18		
3/8-16 x 4 1/2	5/8-11 x 20		
3/8-16 x 5	5/8-11 x 25		
3/8-16 x 6	3/4-10 x 4		
3/8-16 x 7	3/4-10 x 5		
3/8-16 x 8	3/4-10 x 6		
3/8-16 x 9	3/4-10 x 7		
3/8-16 x 10	3/4-10 x 8		

**Silicon Bronze Slotted Oval Head Machine Screws DIN964**

Specs	Specs	Specs	Specs
2.0 x 8	4.0 x 12	6.0 x 85	10.0 x 100
2.0 x 10	4.0 x 16	6.0 x 90	10.0 x 110
2.0 x 12	4.0 x 20	6.0 x 100	10.0 x 120
2.0 x 16	4.0 x 25	8.0 x 16	10.0 x 130
2.0 x 20	4.0 x 30	8.0 x 20	10.0 x 140
2.0 x 25	4.0 x 35	8.0 x 25	10.0 x 150
2.5 x 5	4.0 x 40	8.0 x 30	12.0 x 50
2.5 x 6	4.0 x 45	8.0 x 35	12.0 x 55
2.5 x 8	4.0 x 50	8.0 x 40	12.0 x 60
2.5 x 10	5.0 x 8	8.0 x 45	12.0 x 65
2.5 x 12	5.0 x 10	8.0 x 50	12.0 x 70
2.5 x 16	5.0 x 12	8.0 x 55	12.0 x 75
2.5 x 20	5.0 x 16	8.0 x 60	12.0 x 80
2.5 x 25	5.0 x 20	8.0 x 65	12.0 x 90
3.0 x 5	5.0 x 25	8.0 x 70	12.0 x 100
3.0 x 6	5.0 x 30	8.0 x 75	12.0 x 110
3.0 x 8	5.0 x 35	8.0 x 80	12.0 x 120
3.0 x 10	5.0 x 40	8.0 x 85	12.0 x 130
3.0 x 12	5.0 x 50	8.0 x 90	12.0 x 140
3.0 x 16	5.0 x 55	8.0 x 100	12.0 x 150
3.0 x 20	5.0 x 60	8.0 x 105	16.0 x 70
3.0 x 25	5.0 x 65	8.0 x 110	16.0 x 75
3.0 x 30	5.0 x 70	8.0 x 120	16.0 x 90
3.0 x 35	5.0 x 75	8.0 x 130	16.0 x 100
3.0 x 40	5.0 x 90	8.0 x 140	
3.0 x 50	5.0 x 100	8.0 x 150	
3.5 x 5	6.0 x 12	10.0 x 20	
3.5 x 6	6.0 x 16	10.0 x 25	
3.5 x 8	6.0 x 20	10.0 x 30	
3.5 x 10	6.0 x 25	10.0 x 35	
3.5 x 12	6.0 x 30	10.0 x 40	
3.5 x 16	6.0 x 35	10.0 x 45	
3.5 x 20	6.0 x 40	10.0 x 55	
3.5 x 25	6.0 x 45	10.0 x 60	
3.5 x 30	6.0 x 50	10.0 x 65	
3.5 x 35	6.0 x 55	10.0 x 70	
3.5 x 40	6.0 x 60	10.0 x 75	
3.5 x 50	6.0 x 65	10.0 x 80	
4.0 x 6	6.0 x 70	10.0 x 85	



### Silicon Bronze Slotted Round Head Machine Screws B18.6.3

Specs		Specs		Specs		Specs	
4-40 x 1/4		10-24 x 1 1/4		5/16-18 x 3 1/2			
4-40 x 5/16		10-24 x 1 1/2		5/16-18 x 4			
4-40 x 3/8		10-24 x 2		5/16-18 x 5			
4-40 x 1/2		10-24 x 2 1/2		3/8-16 x 5/8			
4-40 x 5/8		10-24 x 3		3/8-16 x 3/4			
4-40 x 3/4		10-24 x 4		3/8-16 x 1			
4-40 x 1		10-32 x 3/8		3/8-16 x 1 1/4			
4-40 x 1 1/4		10-32 x 1/2		3/8-16 x 1 1/2			
4-40 x 1 1/2		10-32 x 5/8		3/8-16 x 1 3/4			
6-32 x 1/4		10-32 x 3/4		3/8-16 x 2			
6-32 x 5/16		10-32 x 1		3/8-16 x 2 1/2			
6-32 x 3/8		10-32 x 1 1/4		3/8-16 x 3			
6-32 x 1/2		10-32 x 1 1/2		3/8-16 x 3 1/2			
6-32 x 5/8		10-32 x 1 3/4		3/8-16 x 4			
6-32 x 3/4		10-32 x 2		3/8-16 x 4 1/2			
6-32 x 1		10-32 x 2 1/2		3/8-16 x 5			
6-32 x 1 1/4		10-32 x 3		3/8-16 x 6			
6-32 x 1 1/2		1/4-20 x 3/8		1/2-13 x 1			
6-32 x 1 3/4		1/4-20 x 1/2		1/2-13 x 1 1/4			
6-32 x 2		1/4-20 x 5/8		1/2-13 x 1 1/2			
6-32 x 2 1/2		1/4-20 x 3/4		1/2-13 x 1 3/4			
8-32 x 1/4		1/4-20 x 1		1/2-13 x 2			
8-32 x 5/16		1/4-20 x 1 1/4		1/2-13 x 2 1/2			
8-32 x 3/8		1/4-20 x 1 1/2		1/2-13 x 3			
8-32 x 1/2		1/4-20 x 1 3/4		1/2-13 x 3 1/2			
8-32 x 5/8		1/4-20 x 2		1/2-13 x 4			
8-32 x 3/4		1/4-20 x 2 1/2		1/2-13 x 4 1/2			
8-32 x 1		1/4-20 x 3		1/2-13 x 5			
8-32 x 1 1/4		1/4-20 x 3 1/2		1/2-13 x 6			
8-32 x 1 1/2		1/4-20 x 4					
8-32 x 1 3/4		1/4-20 x 5					
8-32 x 2		5/16-18 x 1/2					
8-32 x 2 1/2		5/16-18 x 5/8					
8-32 x 3		5/16-18 x 3/4					
10-24 x 1/4		5/16-18 x 1					
10-24 x 5/16		5/16-18 x 1 1/4					
10-24 x 3/8		5/16-18 x 1 1/2					
10-24 x 1/2		5/16-18 x 1 3/4					
10-24 x 5/8		5/16-18 x 2					

10-24 x 3/4	<b>Chongqing Yushung Non-Ferrous Metals Co.,Ltd</b>	
10-24 x 1	5/16-18 x 3	www.yushung.com Email:info@yushung.com

### Silicon Bronze Slotted Pan Head Machine Screws B18.6.3

Specs	Specs	Specs	Specs
4-40 x 1/4	8-32 x 3	1/4-20 x 1 1/2	
4-40 x 5/16	10-24 x 1/4	1/4-20 x 1 3/4	
4-40 x 3/8	10-24 x 5/16	1/4-20 x 2	
4-40 x 1/2	10-24 x 3/8	1/4-20 x 2 1/2	
4-40 x 5/8	10-24 x 1/2	1/4-20 x 3	
4-40 x 3/4	10-24 x 5/8	1/4-20 x 3 1/2	
4-40 x 1	10-24 x 3/4	1/4-20 x 4	
6-32 x 1/4	10-24 x 1	5/16-18 x 1/2	
6-32 x 5/16	10-24 x 1 1/4	5/16-18 x 5/8	
6-32 x 3/8	10-24 x 1 1/2	5/16-18 x 3/4	
6-32 x 1/2	10-24 x 2	5/16-18 x 1	
6-32 x 5/8	10-24 x 2 1/2	5/16-18 x 1 1/4	
6-32 x 3/4	10-24 x 3	5/16-18 x 1 1/2	
6-32 x 1	10-24 x 4	5/16-18 x 1 3/4	
6-32 x 1 1/4	10-32 x 3/8	5/16-18 x 2	
6-32 x 1 1/2	10-32 x 1/2	5/16-18 x 2 1/2	
6-32 x 1 3/4	10-32 x 5/8	5/16-18 x 3	
6-32 x 2	10-32 x 3/4	5/16-18 x 3 1/2	
6-32 x 2 1/2	10-32 x 1	5/16-18 x 4	
8-32 x 1/4	10-32 x 1 1/4	5/16-18 x 5	
8-32 x 5/16	10-32 x 1 1/2	3/8-16 x 5/8	
8-32 x 3/8	10-32 x 1 3/4	3/8-16 x 3/4	
8-32 x 1/2	10-32 x 2	3/8-16 x 1	
8-32 x 5/8	10-32 x 2 1/2	3/8-16 x 1 1/4	
8-32 x 3/4	10-32 x 3	3/8-16 x 1 1/2	
8-32 x 1	1/4-20 x 3/8	3/8-16 x 1 3/4	
8-32 x 1 1/4	1/4-20 x 1/2	3/8-16 x 2	
8-32 x 1 1/2	1/4-20 x 5/8	3/8-16 x 2 1/2	
8-32 x 1 3/4	1/4-20 x 3/4	3/8-16 x 3	
8-32 x 2	1/4-20 x 1		
8-32 x 2 1/2	1/4-20 x 1 1/4		

**Silicon Bronze Slotted Pan Head Machine Screws DIN85**

Specs	Specs	Specs	Specs
2.5 x 8	4.0 x 50	8.0 x 12	
2.5 x 10	5.0 x 8	8.0 x 16	
2.5 x 12	5.0 x 10	8.0 x 20	
2.5 x 16	5.0 x 12	8.0 x 25	
2.5 x 20	5.0 x 16	8.0 x 30	
2.5 x 25	5.0 x 20	8.0 x 35	
3.0 x 8	5.0 x 25	8.0 x 40	
3.0 x 10	5.0 x 30	8.0 x 45	
3.0 x 12	5.0 x 35	8.0 x 50	
3.0 x 16	5.0 x 40	8.0 x 55	
3.0 x 20	5.0 x 50	8.0 x 60	
3.0 x 25	5.0 x 55	8.0 x 65	
3.0 x 30	5.0 x 60	8.0 x 70	
3.0 x 35	5.0 x 65	8.0 x 75	
3.0 x 40	5.0 x 70	8.0 x 80	
3.0 x 50	5.0 x 75	8.0 x 85	
3.5 x 8	5.0 x 90	8.0 x 90	
3.5 x 10	5.0 x 100	8.0 x 100	
3.5 x 12	6.0 x 10	8.0 x 105	
3.5 x 16	6.0 x 12	8.0 x 110	
3.5 x 20	6.0 x 16	8.0 x 120	
3.5 x 25	6.0 x 20	8.0 x 130	
3.5 x 30	6.0 x 25	8.0 x 140	
3.5 x 35	6.0 x 30	8.0 x 150	
3.5 x 40	6.0 x 35		
3.5 x 50	6.0 x 40		
4.0 x 5	6.0 x 45		
4.0 x 6	6.0 x 50		
4.0 x 8	6.0 x 55		
4.0 x 10	6.0 x 60		
4.0 x 12	6.0 x 65		
4.0 x 16	6.0 x 70		
4.0 x 20	6.0 x 75		
4.0 x 25	6.0 x 80		
4.0 x 30	6.0 x 85		
4.0 x 35	6.0 x 90		
4.0 x 40	6.0 x 100		
4.0 x 45	8.0 x 10		

**Silicon Bronze Phillips Flat Head Machine Screws B18.6.3**

Specs	Specs	Specs	Specs
4-40 x 1/4	8-32 x 3	1/4-20 x 2	
4-40 x 5/16	10-24 x 1/4	1/4-20 x 2 1/2	
4-40 x 3/8	10-24 x 5/16	1/4-20 x 3	
4-40 x 1/2	10-24 x 3/8	1/4-20 x 3 1/2	
4-40 x 5/8	10-24 x 1/2	1/4-20 x 4	
4-40 x 3/4	10-24 x 5/8	5/16-18 x 1/2	
4-40 x 1	10-24 x 3/4	5/16-18 x 5/8	
4-40 x 1 1/4	10-24 x 1	5/16-18 x 3/4	
4-40 x 1 1/2	10-24 x 1 1/4	5/16-18 x 1	
6-32 x 1/4	10-24 x 1 1/2	5/16-18 x 1 1/4	
6-32 x 5/16	10-24 x 2	5/16-18 x 1 1/2	
6-32 x 3/8	10-24 x 2 1/2	5/16-18 x 1 3/4	
6-32 x 1/2	10-24 x 3	5/16-18 x 2	
6-32 x 5/8	10-24 x 4	5/16-18 x 2 1/2	
6-32 x 3/4	10-32 x 3/8	5/16-18 x 3	
6-32 x 1	10-32 x 1/2	5/16-18 x 3 1/2	
6-32 x 1 1/4	10-32 x 5/8	5/16-18 x 4	
6-32 x 1 1/2	10-32 x 3/4	3/8-16 x 5/8	
6-32 x 1 3/4	10-32 x 1	3/8-16 x 3/4	
6-32 x 2	10-32 x 1 1/4	3/8-16 x 1	
6-32 x 2 1/2	10-32 x 1 1/2	3/8-16 x 1 1/4	
8-32 x 1/4	10-32 x 1 3/4	3/8-16 x 1 1/2	
8-32 x 5/16	10-32 x 2	3/8-16 x 1 3/4	
8-32 x 3/8	10-32 x 2 1/2	3/8-16 x 2	
8-32 x 1/2	10-32 x 3	3/8-16 x 2 1/2	
8-32 x 5/8	1/4-20 x 3/8	3/8-16 x 3	
8-32 x 3/4	1/4-20 x 1/2	3/8-16 x 3 1/2	
8-32 x 1	1/4-20 x 5/8	3/8-16 x 4	
8-32 x 1 1/4	1/4-20 x 3/4		
8-32 x 1 1/2	1/4-20 x 1		
8-32 x 1 3/4	1/4-20 x 1 1/4		
8-32 x 2	1/4-20 x 1 1/2		
8-32 x 2 1/2	1/4-20 x 1 3/4		



**Silicon Bronze Phillips Flat Head Machine Screws DIN965**

Specs	Specs	Specs	Specs
2.5 x 5	4.0 x 20	6.0 x 45	
2.5 x 6	4.0 x 25	6.0 x 50	
2.5 x 8	4.0 x 30	6.0 x 55	
2.5 x 10	4.0 x 35	6.0 x 60	
2.5 x 12	4.0 x 40	6.0 x 65	
2.5 x 16	4.0 x 45	6.0 x 70	
2.5 x 20	4.0 x 50	6.0 x 75	
2.5 x 25	4.0 x 60	6.0 x 80	
3.0 x 5	4.0 x 70	6.0 x 85	
3.0 x 6	4.0 x 80	6.0 x 90	
3.0 x 8	4.0 x 90	6.0 x 100	
3.0 x 10	4.0 x 100	8.0 x 10	
3.0 x 12	5.0 x 6	8.0 x 12	
3.0 x 16	5.0 x 8	8.0 x 16	
3.0 x 20	5.0 x 10	8.0 x 20	
3.0 x 25	5.0 x 12	8.0 x 25	
3.0 x 30	5.0 x 16	8.0 x 30	
3.0 x 35	5.0 x 20	8.0 x 35	
3.0 x 40	5.0 x 25	8.0 x 40	
3.0 x 50	5.0 x 30	8.0 x 45	
3.5 x 5	5.0 x 35	8.0 x 50	
3.5 x 6	5.0 x 40	8.0 x 55	
3.5 x 8	5.0 x 50	8.0 x 60	
3.5 x 10	5.0 x 55	8.0 x 65	
3.5 x 12	5.0 x 60	8.0 x 70	
3.5 x 16	5.0 x 65	8.0 x 75	
3.5 x 20	5.0 x 70	8.0 x 80	
3.5 x 25	5.0 x 75	8.0 x 85	
3.5 x 30	5.0 x 90	8.0 x 90	
3.5 x 35	5.0 x 100	8.0 x 100	
3.5 x 40	6.0 x 10	8.0 x 105	
3.5 x 50	6.0 x 12	8.0 x 110	
4.0 x 5	6.0 x 16	8.0 x 120	
4.0 x 6	6.0 x 20	8.0 x 130	
4.0 x 8	6.0 x 25	8.0 x 140	
4.0 x 10	6.0 x 30	8.0 x 150	
4.0 x 12	6.0 x 35		
4.0 x 16	6.0 x 40		

**Silicon Bronze Phillips Oval Head Machine Screws B18.6.3**

Specs	Specs	Specs	Specs
4-40 x 1/4	8-32 x 3	1/4-20 x 2	
4-40 x 5/16	10-24 x 1/4	1/4-20 x 2 1/2	
4-40 x 3/8	10-24 x 5/16	1/4-20 x 3	
4-40 x 1/2	10-24 x 3/8	1/4-20 x 3 1/2	
4-40 x 5/8	10-24 x 1/2	1/4-20 x 4	
4-40 x 3/4	10-24 x 5/8	5/16-18 x 1/2	
4-40 x 1	10-24 x 3/4	5/16-18 x 5/8	
4-40 x 1 1/4	10-24 x 1	5/16-18 x 3/4	
4-40 x 1 1/2	10-24 x 1 1/4	5/16-18 x 1	
6-32 x 1/4	10-24 x 1 1/2	5/16-18 x 1 1/4	
6-32 x 5/16	10-24 x 2	5/16-18 x 1 1/2	
6-32 x 3/8	10-24 x 2 1/2	5/16-18 x 1 3/4	
6-32 x 1/2	10-24 x 3	5/16-18 x 2	
6-32 x 5/8	10-24 x 4	5/16-18 x 2 1/2	
6-32 x 3/4	10-32 x 3/8	5/16-18 x 3	
6-32 x 1	10-32 x 1/2	5/16-18 x 3 1/2	
6-32 x 1 1/4	10-32 x 5/8	5/16-18 x 4	
6-32 x 1 1/2	10-32 x 3/4	3/8-16 x 5/8	
6-32 x 1 3/4	10-32 x 1	3/8-16 x 3/4	
6-32 x 2	10-32 x 1 1/4	3/8-16 x 1	
6-32 x 2 1/2	10-32 x 1 1/2	3/8-16 x 1 1/4	
8-32 x 1/4	10-32 x 1 3/4	3/8-16 x 1 1/2	
8-32 x 5/16	10-32 x 2	3/8-16 x 1 3/4	
8-32 x 3/8	10-32 x 2 1/2	3/8-16 x 2	
8-32 x 1/2	10-32 x 3	3/8-16 x 2 1/2	
8-32 x 5/8	1/4-20 x 3/8	3/8-16 x 3	
8-32 x 3/4	1/4-20 x 1/2	3/8-16 x 3 1/2	
8-32 x 1	1/4-20 x 5/8	3/8-16 x 4	
8-32 x 1 1/4	1/4-20 x 3/4		
8-32 x 1 1/2	1/4-20 x 1		
8-32 x 1 3/4	1/4-20 x 1 1/4		
8-32 x 2	1/4-20 x 1 1/2		
8-32 x 2 1/2	1/4-20 x 1 3/4		

**Silicon Bronze Phillips Oval Head Machine Screws DIN966**

Specs	Specs	Specs	Specs
2.5 x 5	4.0 x 20	6.0 x 45	
2.5 x 6	4.0 x 25	6.0 x 50	
2.5 x 8	4.0 x 30	6.0 x 55	
2.5 x 10	4.0 x 35	6.0 x 60	
2.5 x 12	4.0 x 40	6.0 x 65	
2.5 x 16	4.0 x 45	6.0 x 70	
2.5 x 20	4.0 x 50	6.0 x 75	
2.5 x 25	4.0 x 60	6.0 x 80	
3.0 x 5	4.0 x 70	6.0 x 85	
3.0 x 6	4.0 x 80	6.0 x 90	
3.0 x 8	4.0 x 90	6.0 x 100	
3.0 x 10	4.0 x 100	8.0 x 10	
3.0 x 12	5.0 x 6	8.0 x 12	
3.0 x 16	5.0 x 8	8.0 x 16	
3.0 x 20	5.0 x 10	8.0 x 20	
3.0 x 25	5.0 x 12	8.0 x 25	
3.0 x 30	5.0 x 16	8.0 x 30	
3.0 x 35	5.0 x 20	8.0 x 35	
3.0 x 40	5.0 x 25	8.0 x 40	
3.0 x 50	5.0 x 30	8.0 x 45	
3.5 x 5	5.0 x 35	8.0 x 50	
3.5 x 6	5.0 x 40	8.0 x 55	
3.5 x 8	5.0 x 50	8.0 x 60	
3.5 x 10	5.0 x 55	8.0 x 65	
3.5 x 12	5.0 x 60	8.0 x 70	
3.5 x 16	5.0 x 65	8.0 x 75	
3.5 x 20	5.0 x 70	8.0 x 80	
3.5 x 25	5.0 x 75	8.0 x 85	
3.5 x 30	5.0 x 90	8.0 x 90	
3.5 x 35	5.0 x 100	8.0 x 100	
3.5 x 40	6.0 x 10	8.0 x 105	
3.5 x 50	6.0 x 12	8.0 x 110	
4.0 x 5	6.0 x 16	8.0 x 120	
4.0 x 6	6.0 x 20	8.0 x 130	
4.0 x 8	6.0 x 25	8.0 x 140	
4.0 x 10	6.0 x 30	8.0 x 150	
4.0 x 12	6.0 x 35		
4.0 x 16	6.0 x 40		



**Silicon Bronze Phillips Pan Head Machine Screws B18.6.3**

Specs	Specs	Specs	Specs
4-40 x 1/4	8-32 x 3	1/4-20 x 2	
4-40 x 5/16	10-24 x 1/4	1/4-20 x 2 1/2	
4-40 x 3/8	10-24 x 5/16	1/4-20 x 3	
4-40 x 1/2	10-24 x 3/8	1/4-20 x 3 1/2	
4-40 x 5/8	10-24 x 1/2	1/4-20 x 4	
4-40 x 3/4	10-24 x 5/8	5/16-18 x 1/2	
4-40 x 1	10-24 x 3/4	5/16-18 x 5/8	
4-40 x 1 1/4	10-24 x 1	5/16-18 x 3/4	
4-40 x 1 1/2	10-24 x 1 1/4	5/16-18 x 1	
6-32 x 1/4	10-24 x 1 1/2	5/16-18 x 1 1/4	
6-32 x 5/16	10-24 x 2	5/16-18 x 1 1/2	
6-32 x 3/8	10-24 x 2 1/2	5/16-18 x 1 3/4	
6-32 x 1/2	10-24 x 3	5/16-18 x 2	
6-32 x 5/8	10-24 x 4	5/16-18 x 2 1/2	
6-32 x 3/4	10-32 x 3/8	5/16-18 x 3	
6-32 x 1	10-32 x 1/2		
6-32 x 1 1/4	10-32 x 5/8		
6-32 x 1 1/2	10-32 x 3/4		
6-32 x 1 3/4	10-32 x 1		
6-32 x 2	10-32 x 1 1/4		
6-32 x 2 1/2	10-32 x 1 1/2		
8-32 x 1/4	10-32 x 1 3/4		
8-32 x 5/16	10-32 x 2		
8-32 x 3/8	10-32 x 2 1/2		
8-32 x 1/2	10-32 x 3		
8-32 x 5/8	1/4-20 x 3/8		
8-32 x 3/4	1/4-20 x 1/2		
8-32 x 1	1/4-20 x 5/8		
8-32 x 1 1/4	1/4-20 x 3/4		
8-32 x 1 1/2	1/4-20 x 1		
8-32 x 1 3/4	1/4-20 x 1 1/4		
8-32 x 2	1/4-20 x 1 1/2		
8-32 x 2 1/2	1/4-20 x 1 3/4		

**Silicon Bronze Slotted Truss Head Machine Screws B18.6.3**

Specs	Specs	Specs	Specs
4-40 x 1/4	8-32 x 3	1/4-20 x 2	
4-40 x 5/16	10-24 x 1/4	1/4-20 x 2 1/2	
4-40 x 3/8	10-24 x 5/16	1/4-20 x 3	
4-40 x 1/2	10-24 x 3/8	1/4-20 x 3 1/2	
4-40 x 5/8	10-24 x 1/2	1/4-20 x 4	
4-40 x 3/4	10-24 x 5/8	5/16-18 x 1/2	
4-40 x 1	10-24 x 3/4	5/16-18 x 5/8	
4-40 x 1 1/4	10-24 x 1	5/16-18 x 3/4	
4-40 x 1 1/2	10-24 x 1 1/4	5/16-18 x 1	
6-32 x 1/4	10-24 x 1 1/2	5/16-18 x 1 1/4	
6-32 x 5/16	10-24 x 2	5/16-18 x 1 1/2	
6-32 x 3/8	10-24 x 2 1/2	5/16-18 x 1 3/4	
6-32 x 1/2	10-24 x 3	5/16-18 x 2	
6-32 x 5/8	10-24 x 4	5/16-18 x 2 1/2	
6-32 x 3/4	10-32 x 3/8	5/16-18 x 3	
6-32 x 1	10-32 x 1/2	5/16-18 x 3 1/2	
6-32 x 1 1/4	10-32 x 5/8	5/16-18 x 4	
6-32 x 1 1/2	10-32 x 3/4	3/8-16 x 5/8	
6-32 x 1 3/4	10-32 x 1	3/8-16 x 3/4	
6-32 x 2	10-32 x 1 1/4	3/8-16 x 1	
6-32 x 2 1/2	10-32 x 1 1/2	3/8-16 x 1 1/4	
8-32 x 1/4	10-32 x 1 3/4	3/8-16 x 1 1/2	
8-32 x 5/16	10-32 x 2	3/8-16 x 1 3/4	
8-32 x 3/8	10-32 x 2 1/2	3/8-16 x 2	
8-32 x 1/2	10-32 x 3	3/8-16 x 2 1/2	
8-32 x 5/8	1/4-20 x 3/8	3/8-16 x 3	
8-32 x 3/4	1/4-20 x 1/2	3/8-16 x 3 1/2	
8-32 x 1	1/4-20 x 5/8	3/8-16 x 4	
8-32 x 1 1/4	1/4-20 x 3/4		
8-32 x 1 1/2	1/4-20 x 1		
8-32 x 1 3/4	1/4-20 x 1 1/4		
8-32 x 2	1/4-20 x 1 1/2		
8-32 x 2 1/2	1/4-20 x 1 3/4		

**Silicon Bronze Phillips Truss Head Machine Screws B18.6.3**

Specs	Specs	Specs	Specs
4-40 x 1/4	8-32 x 3	1/4-20 x 2	
4-40 x 5/16	10-24 x 1/4	1/4-20 x 2 1/2	
4-40 x 3/8	10-24 x 5/16	1/4-20 x 3	
4-40 x 1/2	10-24 x 3/8	1/4-20 x 3 1/2	
4-40 x 5/8	10-24 x 1/2	1/4-20 x 4	
4-40 x 3/4	10-24 x 5/8	5/16-18 x 1/2	
4-40 x 1	10-24 x 3/4	5/16-18 x 5/8	
4-40 x 1 1/4	10-24 x 1	5/16-18 x 3/4	
4-40 x 1 1/2	10-24 x 1 1/4	5/16-18 x 1	
6-32 x 1/4	10-24 x 1 1/2	5/16-18 x 1 1/4	
6-32 x 5/16	10-24 x 2	5/16-18 x 1 1/2	
6-32 x 3/8	10-24 x 2 1/2	5/16-18 x 1 3/4	
6-32 x 1/2	10-24 x 3	5/16-18 x 2	
6-32 x 5/8	10-24 x 4	5/16-18 x 2 1/2	
6-32 x 3/4	10-32 x 3/8	5/16-18 x 3	
6-32 x 1	10-32 x 1/2	5/16-18 x 3 1/2	
6-32 x 1 1/4	10-32 x 5/8	5/16-18 x 4	
6-32 x 1 1/2	10-32 x 3/4	3/8-16 x 5/8	
6-32 x 1 3/4	10-32 x 1	3/8-16 x 3/4	
6-32 x 2	10-32 x 1 1/4	3/8-16 x 1	
6-32 x 2 1/2	10-32 x 1 1/2	3/8-16 x 1 1/4	
8-32 x 1/4	10-32 x 1 3/4	3/8-16 x 1 1/2	
8-32 x 5/16	10-32 x 2	3/8-16 x 1 3/4	
8-32 x 3/8	10-32 x 2 1/2	3/8-16 x 2	
8-32 x 1/2	10-32 x 3	3/8-16 x 2 1/2	
8-32 x 5/8	1/4-20 x 3/8	3/8-16 x 3	
8-32 x 3/4	1/4-20 x 1/2	3/8-16 x 3 1/2	
8-32 x 1	1/4-20 x 5/8	3/8-16 x 4	
8-32 x 1 1/4	1/4-20 x 3/4		
8-32 x 1 1/2	1/4-20 x 1		
8-32 x 1 3/4	1/4-20 x 1 1/4		
8-32 x 2	1/4-20 x 1 1/2		
8-32 x 2 1/2	1/4-20 x 1 3/4		

**Silicon Bronze Hex Cap Head Screws B18.2.1**

Specs	Specs	Specs	Specs
1/4-20 x 3/8	5/16-18 x 5	1/2-13 x 3	7/8-9 x 6
1/4-20 x 1/2	5/16-18 x 6	1/2-13 x 3 1/4	1-8 x 4
1/4-20 x 5/8	3/8-16 x 1/2	1/2-13 x 3 1/2	1-8 x 5
1/4-20 x 3/4	3/8-16 x 5/8	1/2-13 x 4	1-8 x 6
1/4-20 x 1	3/8-16 x 3/4	1/2-13 x 4 1/2	
1/4-20 x 1 1/4	3/8-16 x 7/8	1/2-13 x 5	
1/4-20 x 1 1/2	3/8-16 x 1	1/2-13 x 6	
1/4-20 x 1 3/4	3/8-16 x 1 1/4	1/2-13 x 7	
1/4-20 x 2	3/8-16 x 1 1/2	5/8-11 x 1	
1/4-20 x 2 1/2	3/8-16 x 1 3/4	5/8-11 x 1 1/2	
1/4-20 x 3	3/8-16 x 2	5/8-11 x 2	
1/4-20 x 3 1/2	3/8-16 x 2 1/2	5/8-11 x 3	
1/4-20 x 4	3/8-16 x 3	5/8-11 x 3 1/2	
1/4-20 x 5	3/8-16 x 3 1/2	5/8-11 x 4	
1/4-20 x 6	3/8-16 x 4	5/8-11 x 4 1/2	
5/16-18 x 1/2	3/8-16 x 4 1/2	5/8-11 x 5	
5/16-18 x 5/8	3/8-16 x 5	5/8-11 x 6	
5/16-18 x 3/4	3/8-16 x 6	3/4-10 x 1 1/2	
5/16-18 x 1	1/2-13 x 1/2	3/4-10 x 1 3/4	
5/16-18 x 1 1/4	1/2-13 x 3/4	3/4-10 x 2	
5/16-18 x 1 1/2	1/2-13 x 1	3/4-10 x 2 1/2	
5/16-18 x 1 3/4	1/2-13 x 1 1/4	3/4-10 x 3	
5/16-18 x 2	1/2-13 x 1 1/2	3/4-10 x 3 1/2	
5/16-18 x 2 1/2	1/2-13 x 1 3/4	3/4-10 x 4	
5/16-18 x 3	1/2-13 x 2	3/4-10 x 5	
5/16-18 x 3 1/2	1/2-13 x 2 1/4	3/4-10 x 6	
5/16-18 x 4	1/2-13 x 2 1/2	7/8-9 x 4	
5/16-18 x 4 1/2	1/2-13 x 2 3/4	7/8-9 x 5	

**Silicon Bronze Hex Cap Head Bolts Full Body With Partial Threads B18.2.1**

Specs		Specs		Specs		Specs	
1/4-20 x 1 1/2		3/8-16 x 3 1/2		5/8-11 x 2		3/4-10 x 8	
1/4-20 x 1 3/4		3/8-16 x 4		5/8-11 x 3		3/4-10 x 9	
1/4-20 x 2		3/8-16 x 4 1/2		5/8-11 x 3 1/2		3/4-10 x 10	
1/4-20 x 2 1/2		3/8-16 x 5		5/8-11 x 4		3/4-10 x 12	
1/4-20 x 3		3/8-16 x 6		5/8-11 x 4 1/2		3/4-10 x 13	
1/4-20 x 3 1/2		3/8-16 x 7		5/8-11 x 5		3/4-10 x 14	
1/4-20 x 4		3/8-16 x 8		5/8-11 x 6		3/4-10 x 15	
1/4-20 x 5		3/8-16 x 9		5/8-11 x 7		3/4-10 x 16	
1/4-20 x 6		3/8-16 x 10		5/8-11 x 8		3/4-10 x 20	
5/16-18 x 2		3/8-16 x 12		5/8-11 x 9		7/8-9 x 4	
5/16-18 x 2 1/2		1/2-13 x 1 1/2		5/8-11 x 10		7/8-9 x 5	
5/16-18 x 3		1/2-13 x 2		5/8-11 x 11		7/8-9 x 6	
5/16-18 x 3 1/2		1/2-13 x 2 1/2		5/8-11 x 12		7/8-9 x 7	
5/16-18 x 4		1/2-13 x 3		5/8-11 x 13		7/8-9 x 8	
5/16-18 x 4 1/2		1/2-13 x 3 1/2		5/8-11 x 14		7/8-9 x 9	
5/16-18 x 5		1/2-13 x 4		5/8-11 x 15		7/8-9 x 10	
5/16-18 x 6		1/2-13 x 4 1/2		5/8-11 x 16		7/8-9 x 11	
5/16-18 x 7		1/2-13 x 5		5/8-11 x 17		7/8-9 x 12	
5/16-18 x 8		1/2-13 x 6		5/8-11 x 18		7/8-9 x 16	
5/16-18 x 9		1/2-13 x 7		5/8-11 x 20		1-8 x 4	
5/16-18 x 10		1/2-13 x 8		5/8-11 x 25		1-8 x 5	
5/16-18 x 11		1/2-13 x 9		3/4-10 x 1 1/2		1-8 x 6	
5/16-18 x 12		1/2-13 x 10		3/4-10 x 2		1-8 x 7	
5/16-18 x 13		1/2-13 x 11		3/4-10 x 2 1/2		1-8 x 8	
5/16-18 x 14		1/2-13 x 12		3/4-10 x 3		1-8 x 9	
5/16-18 x 15		1/2-13 x 13		3/4-10 x 3 1/2		1-8 x 10	
5/16-18 x 16		1/2-13 x 14		3/4-10 x 4		1-8 x 11	
3/8-16 x 2		1/2-13 x 16		3/4-10 x 5		1-8 x 12	
3/8-16 x 2 1/2		1/2-13 x 18		3/4-10 x 6		1-8 x 14	
3/8-16 x 3		1/2-13 x 20		3/4-10 x 7		1-8 x 16	



**Silicon Bronze Hex Head Screws DIN933**

Specs		Specs		Specs		Specs	
6.0 x 10		10.0 x 16		12.0 x 140		24.0 x 100	
6.0 x 12		10.0 x 20		12.0 x 150		24.0 x 120	
6.0 x 16		10.0 x 25		12.0 x 160		24.0 x 130	
6.0 x 20		10.0 x 30		14.0 x 50		24.0 x 140	
6.0 x 25		10.0 x 35		14.0 x 60		24.0 x 150	
6.0 x 30		10.0 x 40		14.0 x 70		30.0 x 100	
6.0 x 35		10.0 x 45		14.0 x 100		30.0 x 120	
6.0 x 40		10.0 x 50		14.0 x 120		30.0 x 150	
6.0 x 45		10.0 x 60		14.0 x 130		36.0 x 120	
6.0 x 50		10.0 x 65		14.0 x 150		36.0 x 130	
6.0 x 55		10.0 x 70		16.0 x 30		36.0 x 140	
6.0 x 60		10.0 x 75		16.0 x 35		36.0 x 150	
6.0 x 65		10.0 x 80		16.0 x 40			
6.0 x 70		10.0 x 90		16.0 x 45			
6.0 x 75		10.0 x 100		16.0 x 50			
6.0 x 80		10.0 x 110		16.0 x 60			
6.0 x 85		10.0 x 120		16.0 x 70			
6.0 x 90		10.0 x 130		16.0 x 75			
6.0 x 100		10.0 x 140		16.0 x 80			
8.0 x 10		10.0 x 150		16.0 x 100			
8.0 x 12		10.0 x 160		16.0 x 110			
8.0 x 16		10.0 x 180		16.0 x 120			
8.0 x 20		12.0 x 25		16.0 x 130			
8.0 x 25		12.0 x 30		16.0 x 140			
8.0 x 30		12.0 x 35		16.0 x 150			
8.0 x 35		12.0 x 40		18.0 x 60			
8.0 x 40		12.0 x 45		18.0 x 70			
8.0 x 45		12.0 x 50		18.0 x 75			
8.0 x 50		12.0 x 55		18.0 x 100			
8.0 x 55		12.0 x 60		18.0 x 110			
8.0 x 60		12.0 x 65		18.0 x 120			
8.0 x 65		12.0 x 70		18.0 x 130			
8.0 x 70		12.0 x 80		18.0 x 150			
8.0 x 75		12.0 x 90		20.0 x 75			
8.0 x 80		12.0 x 100		20.0 x 90			
8.0 x 85		12.0 x 110		20.0 x 100			

8.0 x 90	<b>YUSHUNG</b>	<b>Chongqing Yushung Non-Ferrous Metals Co.,Ltd</b>	
8.0 x 100	12.0 x 130	http://www.yushung.com	20.0 x 150 Email:info@yushung.com

### Silicon Bronze Hex Head Bolts DIN931

Specs		Specs		Specs		Specs	
6.0 x 50		10.0 x 100		16.0 x 50		24.0 x 100	
6.0 x 55		10.0 x 110		16.0 x 60		24.0 x 120	
6.0 x 60		10.0 x 120		16.0 x 70		24.0 x 130	
6.0 x 65		10.0 x 130		16.0 x 75		24.0 x 140	
6.0 x 70		10.0 x 140		16.0 x 80		24.0 x 150	
6.0 x 75		10.0 x 150		16.0 x 100		24.0 x 180	
6.0 x 80		10.0 x 160		16.0 x 110		24.0 x 200	
6.0 x 85		10.0 x 180		16.0 x 120		24.0 x 250	
6.0 x 90		10.0 x 200		16.0 x 130		24.0 x 300	
6.0 x 100		10.0 x 220		16.0 x 140		30.0 x 100	
6.0 x 110		10.0 x 250		16.0 x 150		30.0 x 120	
6.0 x 120		10.0 x 300		16.0 x 180		30.0 x 150	
6.0 x 130		12.0 x 50		16.0 x 200		30.0 x 180	
8.0 x 50		12.0 x 55		18.0 x 60		30.0 x 200	
8.0 x 55		12.0 x 60		18.0 x 70		30.0 x 250	
8.0 x 60		12.0 x 65		18.0 x 75		30.0 x 300	
8.0 x 65		12.0 x 70		18.0 x 100		36.0 x 120	
8.0 x 70		12.0 x 80		18.0 x 110		36.0 x 130	
8.0 x 75		12.0 x 90		18.0 x 120		36.0 x 140	
8.0 x 80		12.0 x 100		18.0 x 130		36.0 x 150	
8.0 x 85		12.0 x 110		18.0 x 150		36.0 x 180	
8.0 x 90		12.0 x 120		18.0 x 180		36.0 x 200	
8.0 x 100		12.0 x 130		18.0 x 200		36.0 x 250	
8.0 x 110		12.0 x 140		18.0 x 250		36.0 x 300	
8.0 x 120		12.0 x 150		18.0 x 300			
8.0 x 130		12.0 x 160		20.0 x 50			
8.0 x 140		14.0 x 50		20.0 x 75			
8.0 x 150		14.0 x 60		20.0 x 90			
10.0 x 50		14.0 x 70		20.0 x 100			
10.0 x 60		14.0 x 100		20.0 x 120			
10.0 x 65		14.0 x 120		20.0 x 150			
10.0 x 70		14.0 x 130		20.0 x 180			
10.0 x 75		14.0 x 150		20.0 x 200			
10.0 x 80		14.0 x 180		20.0 x 250			
10.0 x 90		14.0 x 200		20.0 x 300			





**Silicon Bronze Carriage bolts B18.5**

Specs		Specs		Specs		Specs	
#10-24 x 1/2		5/16-18 x 3 1/2		3/8-16 x 32		3/4-10 x 4	
#10-24 x 5/8		5/16-18 x 4		3/8-16 x 35		3/4-10 x 5	
#10-24 x 3/4		5/16-18 x 4 1/2		1/2-13 x 1 1/2		3/4-10 x 6	
#10-24 x 1		5/16-18 x 5		1/2-13 x 2		3/4-10 x 7	
#10-24 x 1 1/4		5/16-18 x 5 1/2		1/2-13 x 2 1/2		3/4-10 x 8	
#10-24 x 1 1/2		5/16-18 x 6		1/2-13 x 3		3/4-10 x 10	
#10-24 x 1 3/4		5/16-18 x 6 1/2		1/2-13 x 3 1/2		3/4-10 x 12	
#10-24 x 2		5/16-18 x 7		1/2-13 x 4		3/4-10 x 13	
#10-24 x 2 1/2		5/16-18 x 8		1/2-13 x 4 1/2		3/4-10 x 14	
#10-24 x 3		5/16-18 x 9		1/2-13 x 5		3/4-10 x 15	
#10-24 x 3 1/2		5/16-18 x 10		1/2-13 x 5 1/2		3/4-10 x 16	
#10-24 x 4		5/16-18 x 12		1/2-13 x 6		3/4-10 x 18	
#10-24 x 5		3/8-16 x 1		1/2-13 x 6 1/2		3/4-10 x 20	
#10-24 x 6		3/8-16 x 1 1/4		1/2-13 x 7		3/4-10 x 25	
1/4-20 x 1		3/8-16 x 1 1/2		1/2-13 x 8		3/4-10 x 30	
1/4-20 x 1 1/4		3/8-16 x 1 3/4		1/2-13 x 9		3/4-10 x 32	
1/4-20 x 1 1/2		3/8-16 x 2		1/2-13 x 10		3/4-10 x 35	
1/4-20 x 1 3/4		3/8-16 x 2 1/2		1/2-13 x 12			
1/4-20 x 2		3/8-16 x 3		1/2-13 x 13			
1/4-20 x 2 1/4		3/8-16 x 3 1/2		1/2-13 x 14			
1/4-20 x 2 1/2		3/8-16 x 4		1/2-13 x 15			
1/4-20 x 3		3/8-16 x 4 1/2		1/2-13 x 16			
1/4-20 x 3 1/2		3/8-16 x 5		1/2-13 x 18			
1/4-20 x 4		3/8-16 x 5 1/2		1/2-13 x 20			
1/4-20 x 4 1/2		3/8-16 x 6		1/2-13 x 25			
1/4-20 x 5		3/8-16 x 6 1/2		1/2-13 x 30			
1/4-20 x 5 1/2		3/8-16 x 7		1/2-13 x 35			
1/4-20 x 6		3/8-16 x 7 1/2		1/2-13 x 40			
1/4-20 x 7		3/8-16 x 8		5/8-11 x 2			
1/4-20 x 8		3/8-16 x 9		5/8-11 x 2 1/2			
1/4-20 x 9		3/8-16 x 10		5/8-11 x 3			
1/4-20 x 10		3/8-16 x 11		5/8-11 x 3 1/2			
1/4-20 x 12		3/8-16 x 12		5/8-11 x 4			
5/16-18 x 1		3/8-16 x 14		5/8-11 x 4 1/2			
5/16-18 x 1 1/4		3/8-16 x 15		5/8-11 x 5			
5/16-18 x 1 1/2		3/8-16 x 16		5/8-11 x 6			

5/16-18 x 1 3/4	<b>Chongqing Yushung Non-Ferrous Metals Co.,Ltd</b>			
5/16-18 x 2	3/8-16 x 20	www.yushung.com	5/8-11 x 8	Email:info@yushung.com
5/16-18 x 2 1/2	3/8-16 x 25		5/8-11 x 10	
5/16-18 x 3	3/8-16 x 30		5/8-11 x 12	

### Silicon Bronze Carriage bolts DIN603

Specs	Specs	Specs	Specs
6.0 x 16	8.0 x 170	12.0 x 200	18.0 x 120
6.0 x 20	8.0 x 180	12.0 x 210	18.0 x 130
6.0 x 25	8.0 x 200	12.0 x 230	18.0 x 150
6.0 x 30	8.0 x 250	12.0 x 250	18.0 x 170
6.0 x 35	8.0 x 300	12.0 x 300	18.0 x 200
6.0 x 40	10.0 x 50	14.0 x 50	18.0 x 250
6.0 x 45	10.0 x 60	14.0 x 60	18.0 x 300
6.0 x 50	10.0 x 65	14.0 x 70	20.0 x 75
6.0 x 55	10.0 x 70	14.0 x 100	20.0 x 90
6.0 x 60	10.0 x 75	14.0 x 120	20.0 x 100
6.0 x 65	10.0 x 80	14.0 x 130	20.0 x 120
6.0 x 70	10.0 x 90	14.0 x 150	20.0 x 150
6.0 x 75	10.0 x 100	14.0 x 170	20.0 x 170
6.0 x 80	10.0 x 110	14.0 x 200	20.0 x 200
6.0 x 85	10.0 x 120	14.0 x 250	20.0 x 250
6.0 x 90	10.0 x 130	14.0 x 300	20.0 x 300
6.0 x 100	10.0 x 140	16.0 x 50	
8.0 x 16	10.0 x 150	16.0 x 60	
8.0 x 20	10.0 x 160	16.0 x 70	
8.0 x 25	10.0 x 170	16.0 x 75	
8.0 x 30	10.0 x 200	16.0 x 80	
8.0 x 35	10.0 x 210	16.0 x 100	
8.0 x 40	10.0 x 250	16.0 x 110	
8.0 x 45	10.0 x 300	16.0 x 120	
8.0 x 50	12.0 x 50	16.0 x 130	
8.0 x 55	12.0 x 55	16.0 x 140	
8.0 x 60	12.0 x 60	16.0 x 150	
8.0 x 65	12.0 x 65	16.0 x 160	
8.0 x 70	12.0 x 70	16.0 x 170	
8.0 x 75	12.0 x 80	16.0 x 180	
8.0 x 80	12.0 x 90	16.0 x 190	
8.0 x 85	12.0 x 100	16.0 x 200	
8.0 x 90	12.0 x 110	16.0 x 220	
8.0 x 100	12.0 x 120	16.0 x 250	
8.0 x 105	12.0 x 130	16.0 x 300	
8.0 x 110	12.0 x 140	18.0 x 90	

8.0 x 120	<b>YUSHUNG</b> Metal 1995	<b>Chongqing Yushung Non-Ferrous Metals Co.,Ltd</b>		
8.0 x 130		12.0 x 160	18.0 x 75	
8.0 x 140		12.0 x 170	18.0 x 100	
8.0 x 150		12.0 x 180	18.0 x 110	

### Silicon Bronze Hex Lag bolts B18.2.1

Specs		Specs		Specs		Specs	
1/4 x 1		3/8 x 2		1/2 x 3		7/8 x 4	
1/4 x 1 1/4		3/8 x 2 1/2		1/2 x 3 1/2		7/8 x 5	
1/4 x 1 1/2		3/8 x 3		1/2 x 4		7/8 x 6	
1/4 x 1 3/4		3/8 X 3 1/2		1/2 x 4 1/2		7/8 x 8	
1/4 x 2		3/8 x 4		1/2 x 5		7/8 x 10	
1/4 x 2 1/2		3/8 x 4 1/2		1/2 x 5 1/2		7/8 x 12	
1/4 x 3		3/8 x 5		1/2 x 6			
1/4 x 3 1/2		3/8 x 5 1/2		1/2 x 6 1/2			
1/4 x 4		3/8 x 6		1/2 x 7			
1/4 X 4 1/2		3/8 x 7		1/2 x 8			
1/4 x 5		3/8 x 8		1/2 x 10			
1/4 x 6		3/8 x 10		1/2 x 12			
5/16 x 1		3/8 x 12		5/8 x 4			
5/16 x 1 1/4		7/16 x 2 1/2		5/8 x 4 1/2			
5/16 x 1 1/2		7/16 x 3		5/8 x 5			
5/16 x 1 3/4		7/16 x 3 1/2		5/8 x 6			
5/16 x 2		7/16 x 4		5/8 x 7			
5/16 x 2 1/2		7/16 x 4 1/2		5/8 x 8			
5/16 x 3		7/16 x 5		5/8 x 10			
5/16 x 3 1/2		7/16 x 5 1/2		5/8 x 12			
5/16 x 4		7/16 x 6		3/4 x 4			
5/16 x 4 1/2		7/16 x 6 1/2		3/4 x 5			
5/16 x 5		7/16 x 7		3/4 x 6			
5/16 x 6		7/16 x 8		3/4 x 6 1/2			
5/16 x 8		7/16 x 10		3/4 x 7			
5/16 x 10		7/16 x 12		3/4 x 8			
5/16 x 12		1/2 x 1 1/2		3/4 x 9			
3/8 x 1 1/2		1/2 x 2		3/4 x 10			
3/8 x 1 3/4		1/2 x 2 1/2		3/4 x 12			

**Silicon Bronze Hex Lag bolts DIN571**

Specs	Specs	Specs	Specs
6.0 x 25	8.0 x 110	12.0 x 180	18.0 x 170
6.0 x 30	8.0 x 120	12.0 x 200	18.0 x 200
6.0 x 35	8.0 x 130	12.0 x 210	18.0 x 250
6.0 x 40	8.0 x 140	12.0 x 230	18.0 x 300
6.0 x 45	8.0 x 150	12.0 x 250	20.0 x 100
6.0 x 50	8.0 x 170	12.0 x 300	20.0 x 120
6.0 x 55	8.0 x 180	14.0 x 100	20.0 x 150
6.0 x 60	8.0 x 200	14.0 x 120	20.0 x 170
6.0 x 65	8.0 x 250	14.0 x 130	20.0 x 200
6.0 x 70	8.0 x 300	14.0 x 150	20.0 x 250
6.0 x 75	10.0 x 75	14.0 x 170	20.0 x 300
6.0 x 80	10.0 x 80	14.0 x 200	
6.0 x 85	10.0 x 90	14.0 x 250	
6.0 x 90	10.0 x 100	14.0 x 300	
6.0 x 100	10.0 x 110	16.0 x 100	
6.0 x 110	10.0 x 120	16.0 x 110	
6.0 x 120	10.0 x 130	16.0 x 120	
6.0 x 130	10.0 x 140	16.0 x 130	
6.0 x 140	10.0 x 150	16.0 x 140	
6.0 x 150	10.0 x 160	16.0 x 150	
8.0 x 40	10.0 x 170	16.0 x 160	
8.0 x 45	10.0 x 200	16.0 x 170	
8.0 x 50	10.0 x 210	16.0 x 180	
8.0 x 55	10.0 x 250	16.0 x 190	
8.0 x 60	10.0 x 300	16.0 x 200	
8.0 x 65	12.0 x 100	16.0 x 220	
8.0 x 70	12.0 x 110	16.0 x 250	
8.0 x 75	12.0 x 120	16.0 x 300	
8.0 x 80	12.0 x 130	18.0 x 100	
8.0 x 85	12.0 x 140	18.0 x 110	
8.0 x 90	12.0 x 150	18.0 x 120	
8.0 x 100	12.0 x 160	18.0 x 130	
8.0 x 105	12.0 x 170	18.0 x 150	



**Silicon Bronze Fully Threaded Rods**

Specs		Specs		Specs		Specs	
1/4-20 x 3'		5/8-11 x 3'					
1/4-20 x 6'		5/8-11 x 6'					
5/16-18 x 3'		3/4-10 x 3'					
5/16-18 x 6'		3/4-10 x 6'					
3/8-16 x 3'		7/8-9 x 3'					
3/8-16 x 6'		7/8-9 x 6'					
7/16-14 x 3'		1-8 x 3'					
7/16-14 x 6'		1-8 x 6'					
1/2-13 x 3'							
1/2-13 x 6'							

**Silicon Bronze Fully Threaded Rods DIN975/DIN976**

Specs		Specs		Specs		Specs	
6.0-1.0 x 1000		18.0-2.5 x 1000					
6.0-1.0 x 2000		20.0-2.5 x 1000					
8.0-1.25 x 1000		24.0-2.5 x 1000					
8.0-1.25 x 2000		30.0-3.5 x 500					
10.0-1.50 x 1000							
10.0-1.50 x 2000							
12.0-1.75 x 1000							
12.0-1.75 x 2000							
16.0-2.0 x 1000							
16.0-2.0 x 2000							

**Silicon Bronze Ring Shank Nails (Inch)**

Specs	Specs	Specs	Specs
1/2" x 15g	2 1/2" x 12g	4" x 8g	
5/8" x 14g	3" x 12g	4 1/2" x 8g	
3/4" x 14g	1" x 10g	5" x 8g	
7/8" x 14g	1 1/4" x 10g	4" x 6g	
1" x 14g	1 1/2" x 10g	5" x 6g	
1 1/4" x 14g	1 3/4" x 10g		
1 1/2" x 14g	2" x 10g		
3/4" x 12g	2 1/2" x 10g		
1" x 12g	3" x 10g		
1 1/4" x 12g	2" x 8g		
1 1/2" x 12g	2 1/2" x 8		
1 3/4" x 12g	3" x 8g		
2" x 12g	3 1/2" x 8g		

**Silicon Bronze Ring Shank Nails (Metric)**

Specs	Specs	Specs	Specs
1.65 x 15	2.5 x 30	3.15 x 50	5 x 65
1.65 x 20	2.5 x 35	3.15 x 65	5 x 75
1.65 x 25	2.75 x 20	3.15 x 75	5 x 90
1.8 x 15	2.75 x 25	3.35 x 50	5 x 100
1.8 x 20	2.75 x 30	3.35 x 65	5 x 125
1.8 x 25	2.75 x 35	3.35 x 75	
2 x 15	2.75 x 40	4 x 50	
2 x 20	2.75 x 50	4 x 65	
2 x 25	2.75 x 65	4 x 75	
2 x 30	2.75 x 70	4 x 90	
2 x 35	2.75 x 75	4 x 100	
2.5 x 20	3.15 x 35	4 x 125	
2.5 x 25	3.15 x 40	5 x 50	

**Silicon Bronze Hex Finished Nuts B18.2.2**

Specs	Specs	Specs	Specs
10-24nc	1/2-13	1-8	
10-32nf	1/2-20	1-12	
1/4-20	9/16-12	1 1/8-7	
1/4-28	9/16-18	1 1/8-12	
5/16-18	5/8-11	1 1/4-7	
5/16-24	5/8-11	1 1/2-6	
3/8-16	3/4-10		
3/8-24	3/4-16		
7/16-14	7/8-9		
7/16-20	7/8-14		

**Silicon Bronze Hex Nuts ISO4032/DIN934**

Specs	Specs	Specs	Specs
M3-0.5	M10-1.5	M18-1.5	M27-1.5
M4-0.7	M10-1.0	M20-2.5	M30-3.5
M5-0.8	M12-1.75	M20-1.5	M30-1.5
M5-0.5	M12-1.5	M20-1.5	M36-4.0
M6-1.0	M14-2.0	M22-2.5	
M6-0.75	M14-1.5	M22-1.5	
M7-1.0	M16-2.0	M24-3.0	
M8-1.25	M16-1.5	M24-1.5	
M8-1.0	M18-2.5	M27-3.0	

**Silicon Bronze Hex Heavy Nuts B18.2.2**

Specs	Specs	Specs	Specs
1/4-20	9/16-12	1 1/8-7	
1/4-28	9/16-18	1 1/8-12	
5/16-18	5/8-11	1 1/4-7	
5/16-24	5/8-11	1 1/4-8un	
3/8-16	3/4-10	1 1/2-6	
3/8-24	3/4-16	1 1/2-8un	
7/16-14	7/8-9	1 3/4-8un	
7/16-20	7/8-14	2-8un	
1/2-13	1-8	2 1/2-8un	
1/2-20	1-12		





**Silicon Bronze Hex Heavy Nuts B18.2.4.6M**

Specs		Specs		Specs		Specs
M5-0.8		M12-1.5		M20-1.5		
M5-0.5		M14-2.0		M22-2.5		
M6-1.0		M14-1.5		M22-1.5		
M6-0.75		M16-2.0		M24-3.0		
M8-1.25		M16-1.5		M24-1.5		
M8-1.0		M18-2.5		M27-3.0		
M10-1.5		M18-1.5		M27-1.5		
M10-1.0		M20-2.5		M30-3.5		
M12-1.75		M20-1.5		M30-1.5		

**Silicon Bronze Hex Jam Nuts B18.2.2**


Specs		Specs		Specs		Specs
1/4-20		9/16-12				
1/4-28		9/16-18				
5/16-18		5/8-11				
5/16-24		5/8-11				
3/8-16		3/4-10				
3/8-24		3/4-16				
7/16-14		7/8-9				
7/16-20		7/8-14				
1/2-13		1-8				
1/2-20		1-12				

**Silicon Bronze Hex Thin Nuts DIN439**

Specs		Specs		Specs		Specs
M6-1.0						
M7-1.0						
M8-1.25						
M10-1.5						
M12-1.75						
M14-2.0						
M16-2.0						
M20-2.5						

**Silicon Bronze Hex Machine Screws Nuts B18.2.2**

Specs		Specs		Specs		Specs
-------	--	-------	--	-------	--	-------

6-32		<b>Chongqing Yushung Non-Ferrous Metals Co.,Ltd</b>			
8-32		1/4-20	<a href="http://www.yushung.com">http://www.yushung.com</a>	Email:info@yushung.com	
10-24		5/16-18			

#### Silicon Bronze Hex Flange Nuts With Serrations B18.16.4

Specs		Specs		Specs		Specs	
1/4-20		1/2-13					
5/16-18		5/8-11					
3/8-16		3/4-10					

#### Silicon Bronze Acorn Hex Nuts B1.1

Specs		Specs		Specs		Specs	
1/4-20		1/2-13		7/8-9			
5/16-18		5/8-11		1-8			
3/8-16		3/4-10					

#### Silicon Bronze Hex Cap Nuts DIN1587

Specs		Specs		Specs		Specs	
M6		M12		M24			
M8		M16					
M10		M20					

#### Silicon Bronze Nylon Insert Lock Nuts B18.16.6

Specs		Specs		Specs		Specs	
1/4-20		1/2-13					
5/16-18		5/8-11					
3/8-16		3/4-10					



**Silicon Bronze Flat Washer(Inch size)**

Specs		Specs		Specs		Specs
8S		5/16S		5/8S		1 1/4S
8L		5/16L		5/8L		1 1/2S
10S		3/8S		3/4S		1 3/4S
10L		3/8L		3/SL		2S
12S		7/16S		7/8S		
12L		7/16L		7/8L		
1/4S		1/2S		1S		
1/4L		1/2L		1L		

**Silicon Bronze Flat Washer(Metric size)**

Specs		Specs		Specs		Specs
M4		M10		M18		M30
M5		M10W		M20		M36
M6		M12		M20W		
M6W		M12W		M24		
M8		M16		M24W		
M8W		M16W		M27		

**Silicon Bronze Split Lockwasher(Inch size)**

Specs		Specs		Specs		Specs
#8		7/16"				
#10		1/2"				
#12		5/8"				
1/4"		3/4"				
5/16"		7/8"				
3/8"		1"				

**Silicon Bronze Slit Lockwasher(Metric size)**

Specs		Specs		Specs		Specs
M5		M12		M24		
M6		M16		M30		
M8		M20				
M10		M22				